

BIBLIOGRAPHY: Clinical Anterior Segment

1. Acanthamoeba keratitis multiple states, 2005-2007. *MMWR Morb Mortal Wkly Rep.* 2007;56:532-534.
2. Acharya NR, Lietman TM, Margolis TP. Parasites on the rise: a new epidemic of acanthamoeba keratitis. *Am J Ophthalmol.* 2007;144:292-293.
3. Alexandrakis G, Jalali S, Gloor P: Diagnosis of Fusarium keratitis in an animal model using the polymerase chain reaction. *Br J Ophthalmol* 1998 Mar; 82(3): 306-11.
4. Alfonso E, Mandelbaum S, Fox MJ, Forster RK: Ulcerative keratitis associated with contact lens wear. *Am J Ophthalmol* 1986 Apr 15; 101(4): 429-33.
5. Alfonso EC, Cantu-Dibildox J, Munir WM, et al. Insurgence of Fusarium keratitis associated with contact lens wear. *Arch Ophthalmol.* 2006;124:941-947.
6. Allansmith MR, Korb DR, Greiner JV, et al: Giant papillary conjunctivitis in contact lens wearers. *Am J Ophthalmol* 1977 May; 83(5): 697-708.
7. Allansmith MR, Korb DR, Greiner JV: Giant papillary conjunctivitis induced by hard or soft contact lens wear: quantitative histology. *Ophthalmology* 1978 Aug; 85(8): 766-78.
8. Avunduk AM, Beuerman RW, Varnell ED: Confocal microscopy of Aspergillus fumigatus keratitis. *Br J Ophthalmol* 2003; 87(4): 409-10.
9. Bacon AS, Dart JK, Ficker LA, Matheson MM, Wright P. Acanthamoeba keratitis. The value of early diagnosis. *Ophthalmology.* 1993;100:1238-1243
10. Bacon AS, Frazer DG, Dart JK, Matheson M, Ficker LA, Wright P. A review of 72 consecutive cases of Acanthamoeba keratitis, 1984-1992. *Eye.* 1993;7(Pt 6):719-725.
11. Bates AK, Morris RJ, Stapleton F, et al: 'Sterile' corneal infiltrates in contact lens wearers. *Eye* 1989; 3 (Pt 6): 803-10.
12. Bernal MD, Acharya NR, Lietman TM, Strauss EC, McLeod SD, Hwang DG. Outbreak of Fusarium keratitis in soft contact lens wearers in San Francisco. *Arch Ophthalmol.* 2006;124:1051-1053.
13. Bharathi JM, Srinivasan M, Ramakrishnan R, Meenakshi R, Padmavathy S, Lalitha PN. A study of the spectrum of Acanthamoeba keratitis: a three-year study at a tertiary eye care referral center in South India. *Indian J Ophthalmol.* 2007;55:37-42.
14. Bharathi MJ, Ramakrishnan R, Vasu S, Meenakshi R, Palaniappan R. Epidemiological characteristics and laboratory diagnosis of fungal keratitis. A three-year study. *Indian J Ophthalmol.* 2003;51:315-321.
15. Bourne WM, Hodge DO, McLaren JW: Estimation of corneal endothelial pump function in long-term contact lens wearers. *Invest Ophthalmol Vis Sci* 1999 Mar; 40(3): 603-11.
16. Bourne WM, Holtan SB, Hodge DO: Morphologic changes in corneal endothelial cells during 3 years of fluorocarbon contact lens wear. *Cornea* 1999 Jan; 18(1): 29-33.
17. Bower KS, Kowalski RP, Gordon YJ: Fluoroquinolones in the treatment of bacterial keratitis. *Am J Ophthalmol* 1996 Jun; 121(6): 712-5.
18. Buehler PO, Schein OD, Stamler JF, et al: The increased risk of ulcerative keratitis among disposable soft contact lens users. *Arch Ophthalmol* 1992 Nov; 110(11): 1555-8.

BIBLIOGRAPHY: Clinical Anterior Segment

19. Burns JA, Cahill KV: Long-term dislocation of a hard contact lens. *Ophthalmic Surg* 1986 Aug; 17(8): 493-5.
20. Butler TK, Males JJ, Robinson LP, et al. Six-year review of *Acanthamoeba* keratitis in New South Wales, Australia: 1997-2002. *Clin Experiment Ophthalmol*. 2005;33:41-46.
21. Butler TK, Males JJ, Robinson LP, et al. Six-year review of *Acanthamoeba* keratitis in New South Wales, Australia: 1997-2002. *Clin Exp Ophthalmol*. 2005;33:41-46.
22. Caballero AR, Marquart ME, O'Callaghan RJ: Effectiveness of fluoroquinolones against *Mycobacterium abscessus* in vivo. *Curr Eye Res* 2006 Jan; 31(1): 23-9.
23. Centers for Disease Control and Prevention (CDC). Recommendations for contact lens wearers. Department of Health and Human Services. Available at: <http://www.cdc.gov/ncidod/dbmd/diseaseinfo/>
24. Chang DC, Grant GB, O'Donnell K, et al: Multistate outbreak of *Fusarium* keratitis associated with use of a contact lens solution. *JAMA* 2006 Aug 23; 296(8): 953-63.
25. Cheng KH, Leung SL, Hoekman HW, et al. Incidence of contact-lens-associated microbial keratitis and its related morbidity. *Lancet*. 1999;354:181-185.
26. Cho BJ, Holland EJ. In vivo tandem scanning confocal microscopy in *Acanthamoeba* keratitis. *Korean J Ophthalmol*. 1998;12:112-117.
27. Chowdhary A, Singh K. Spectrum of fungal keratitis in North India. *Cornea*. 2005;24:8-15.
28. Cohen EJ, Laibson PR, Arentsen JJ, Clemons CS: Corneal ulcers associated with cosmetic extended wear soft contact lenses. *Ophthalmology* 1987 Feb; 94(2): 109-14.
29. Cooper RL, Constable IJ: Infective keratitis in soft contact lens wearers. *Br J Ophthalmol* 1977 Apr; 61(4): 250-4.
30. Cunha BA: *Antibiotic Essentials*. 5th ed. Royal Oak, Mich: Physician's Press; 2006.
31. Dart JK, Stapleton F, Minassian D: Contact lenses and other risk factors in microbial keratitis. *Lancet* 1991 Sep 14; 338(8768): 650-3.
32. De Jonckheere JF: Ecology of *Acanthamoeba*. *Rev Infect Dis* 1991 Mar-Apr; 13 Suppl 5: S385-7.
33. Dejaco-Ruhswurm I, Scholz U, Hanselmayer G, Skorpik C. Contact lens induced keratitis associated with contact lens wear. *Acta Ophthalmol Scand*. 2001;79:479-483.
34. Donnenfeld ED, Kanellopoulos AJ: Therapeutic Penetrating Keratoplasty. *Cornea* 1997; 3: 1843-1872.
35. Donzis PB, Mondino BJ, Weissman BA, Bruckner DA: Microbial analysis of contact lens care systems contaminated with *Acanthamoeba*. *Am J Ophthalmol* 1989 Jul 15; 108(1): 53-6.
36. Donzis PB, Mondino BJ, Weissman BA, Bruckner DA: Microbial contamination of contact lens care systems. *Am J Ophthalmol* 1987 Oct 15; 104(4): 325-33.
37. Dua HS, Azuara-Blanco A, Hossain M, Lloyd J: Non-*Acanthamoeba* amebic keratitis. *Cornea* 1998 Nov; 17(6): 675-7.

BIBLIOGRAPHY: Clinical Anterior Segment

38. Dyavaiah M, Ramani R, Chu DS, et al. Molecular characterization, biofilm analysis and experimental biofouling study of *Fusarium* isolates from recent cases of fungal keratitis in New York State. *BMC Ophthalmol*. 2007;7:1.
39. Edwards K, Keay L, Naduvilath T, Snibson G, Taylor H, Stapleton F. Characteristics of and risk factors for contact lens-related microbial keratitis in a tertiary referral hospital. *Eye*. 2007 Aug 17; [Epub ahead of print].
40. Florakis GJ, Moazami G, Schubert H, et al: Scanning slit confocal microscopy of fungal keratitis. *Arch Ophthalmol* 1997 Nov; 115(11): 1461-3.
41. Fuerst DJ, Sugar J, Worobec S: Superior limbic keratoconjunctivitis associated with cosmetic soft contact lens wear. *Arch Ophthalmol* 1983 Aug; 101(8): 1214-6.
42. Galarreta DJ, Tuft SJ, Ramsay A, Dart JK. Fungal keratitis in London: microbiological and clinical evaluation. *Cornea*. 2007;26:1082-1086.
43. Garg P, Mahesh S, Bansal AK: Fungal infection of sutureless self-sealing incision for cataract surgery. *Ophthalmology* 2003; 110(11): 2173-7.
44. Gasset AR, Houde WL, Garcia-Bengochea M: Hard contact lens wear as an environmental risk in keratoconus. *Am J Ophthalmol* 1978 Mar; 85(3): 339-41.
45. Genvert GI, Cohen EJ, Donnerfeld ED: Erythema multiforme after use of topical sulfacetamide. *Am J Ophthalmol* 1985 Apr 15; 99(4): 465-8.
46. Giaconi JA, Marangon FB, Miller D, Alfonso EC. Voriconazole and fungal keratitis: report of two treatment failures. *J Ocul Pharmacol Ther*. 2006;22:437-439.
47. Gills JP et al: Corneal topography: The state of the art. Slack Incorporated; 1995: 1-328.
48. Glynn RJ, Schein OD, Seddon JM, et al: The incidence of ulcerative keratitis among aphakic contact lens wearers in New England. *Arch Ophthalmol* 1991 Jan; 109(1): 104-7.
49. Goldstein MH, Kowalski RP, Gordon YJ: Emerging fluoroquinolone resistance in bacterial keratitis: a 5-year review. *Ophthalmology* 1999 Jul; 106(7): 1313-8.
50. Gopinathan U, Garg P, Fernandes M, Sharma S, Athmanathan S, Rao GN. The epidemiological features and laboratory results of fungal keratitis: a 10-year review at a referral eye care center in South India. *Cornea*. 2002;21:555-559.
51. Green WR: An embedded ("lost") contact lens. *Arch Ophthalmol* 1963 Jan; 69: 23-4.
52. Guzek JP, Roosenberg JM, Gano DL, Wessels IF: The effect of vehicle on corneal penetration of triturated ketoconazole and itraconazole. *Ophthalmic Surg Lasers* 1998 Nov; 29(11): 926-9.
53. Hamano H, Hori M, Hamano T, et al: Effects of contact lens wear on mitosis of corneal epithelium and lactate content in aqueous humor of rabbit. *Jpn J Ophthalmol* 1983; 27(3): 451-8.
54. Hartstein J: Corneal warping due to wearing of corneal contact lenses. A report of 12 cases. *Am J Ophthalmol* 1965 Dec; 60(6): 1103-4.
55. Heidemann DG, Verdier DD, Dunn SP, Stamler JF: *Acanthamoeba* keratitis associated with disposable contact lenses. *Am J Ophthalmol* 1990 Dec 15; 110(6): 630-4.
56. Hirst LW, Harrison GK, Merz WG: *Nocardia asteroides* keratitis. *Br J Ophthalmol* 1979 Jun; 63(6): 449-54.

BIBLIOGRAPHY: Clinical Anterior Segment

57. Hirst LW, Smiddy WE, Stark WJ: Corneal perforations. Changing methods of treatment, 1960--1980. *Ophthalmology* 1982 Jun; 89(6): 630-5.
58. Holden BA, Reddy MK, Sankaridurg PR, et al: Contact lens-induced peripheral ulcers with extended wear of disposable hydrogel lenses: histopathologic observations on the nature and type of corneal infiltrate. *Cornea* 1999 Sep; 18(5): 538-43.
59. Holden BA, Sweeney DF, Vannas A, et al: Effects of long-term extended contact lens wear on the human cornea. *Invest Ophthalmol Vis Sci* 1985 Nov; 26(11): 1489-501.
60. Holden BA: The Glenn A. Fry Award lecture 1988: the ocular response to contact lens wear. *Optom Vis Sci* 1989 Nov; 66(11): 717-33.
61. Holladay JT: Corneal topography using the Holladay Diagnostic Summary. *J Cataract Refract Surg* 1997 Mar; 23(2): 209-21.
62. Horner DG, Soni PS, Salmon TO, Swartz TS: Myopia progression in adolescent wearers of soft contact lenses and spectacles. *Optom Vis Sci* 1999 Jul; 76(7): 474-9.
63. Houang E, Lam D, Fan D, Seal DV. Microbial keratitis in Hong Kong: relationship to climate, environment and contact-lens disinfection. *Trans Roy Soc Top Med & Hyg.* 2001;95:361-367.
64. Humphreys JA, Larke JR, Parrish ST: Microepithelial cysts observed in extended contact-lens wearing subjects. *Br J Ophthalmol* 1980 Dec; 64(12): 888-9.
65. Hyndiuk RA, Eiferman RA, Caldwell DR, et al: Comparison of ciprofloxacin ophthalmic solution 0.3% to fortified tobramycin-cefazolin in treating bacterial corneal ulcers. Ciprofloxacin Bacterial Keratitis Study Group. *Ophthalmology* 1996 Nov; 103(11): 1854-62; discussion 1862-3.
66. Ichijima H, Yokoi N, Nishizawa A, Kinoshita S: Fluorophotometric assessment of rabbit corneal epithelial barrier function after rigid contact lens wear. *Cornea* 1999 Jan; 18(1): 87-91.
67. Illingworth CD, Cook SD: Acanthamoeba keratitis. *Surv Ophthalmol* 1998 May-Jun; 42(6): 493-508.
68. Inoue N, Toshida H, Mamada N, Kogure N, Murakami A. Contact lens-induced infectious keratitis in Japan. *Eye Contact Lens.* 2007;33:65-69.
69. Itoh R, Yokoi N, Kinoshita S: Tear film instability induced by rigid contact lenses. *Cornea* 1999 Jul; 18(4): 440-3.
70. Iyer SA, Tuli SS, Wagoner RC. Fungal keratitis: emerging trends and treatment outcomes. *Eye Contact Lens.* 2006;32:267-271.
71. Jalbert I, Stapleton F: Effect of lens wear on corneal stroma: preliminary findings. *Aust N Z J Ophthalmol* 1999 Jun-Aug; 27(3-4): 211-3.
72. Jalbert I, Willcox MD, Sweeney DF: Isolation of *Staphylococcus aureus* from a contact lens at the time of a contact lens-induced peripheral ulcer: case report. *Cornea* 2000 Jan; 19(1): 116-20.
73. Jeng BH, Hall GS, Schoenfield L, Meisler DM. The *Fusarium* keratitis outbreak: not done yet? *Arch Ophthalmol.* 2007;125:981-983.
74. Joslin CE, Tu EY, McMahon TT, et al: Epidemiological characteristics of a Chicago-area *Acanthamoeba* keratitis outbreak. *Am J Ophthalmol* 2006 Aug; 142(2): 212-7.

BIBLIOGRAPHY: Clinical Anterior Segment

75. Joslin CE, Tu EY, Shoff ME, et al. The association of contact lens solution use and Acanthamoeba keratitis. *Am J Ophthalmol*. 2007;144:169-180.
76. Jupiter D, Karesh J: Ptoisis associated with PMMA/rigid gas permeable contact lens wear. *CLAO J* 1999 Jul; 25(3): 159-62.
77. Kaji Y, Hu B, Kawana K, Oshika T: Swimming with soft contact lenses: danger of acanthamoeba keratitis. *Lancet Infect Dis* 2005 Jun; 5(6): 392.
78. Kaufman HE, Barron BA, McDonald M, Kaufman SC: Companion Handbook to the Cornea. Butterworth Heinemann; 2000: 947-59.
79. Kaufman SC, Hamano H, Beuerman RW, et al.. Transient corneal stromal and endothelial changes following soft contact lens wear (a study with confocal microscopy). *CLAO J*. 1996;22:127–132.
80. Keay L, Edwards K, Naduvilath T, Forde K, Stapleton F. Factors affecting the morbidity of contact lens-related microbial keratitis: a population study. *Invest Ophthalmol Vis Sci*. 2006;47:4302-4308.
81. Keay L, Stapleton F, Schein OD. Epidemiology of contact lens-related inflammation and microbial keratitis: a 20-year perspective. *Eye Contact Lens*. 2007; In press.
82. Keyhani K, Seedor JA, Shah MK: The incidence of fungal keratitis and endophthalmitis following penetrating keratoplasty. *Cornea* 2005; 24(3): 288-91.
83. Khor WB, Aung T, Saw SM, et al. An outbreak of Fusarium keratitis associated with contact lens wear in Singapore. *JAMA*. 2006;295:2867-2873.
84. Kilvington S, Gray T, Dart J, et al. Acanthamoeba keratitis: the role of domestic tap water contamination in the United Kingdom. *Invest Ophthalmol Vis Sci*. 2004;45:165-169.
85. Knapp A, Stern GA, Hood CI: Mycobacterium avium-intracellulare corneal ulcer. *Cornea* 1987; 6(3): 175-80.
86. Koester CJ. Scanning mirror microscope with optical sectioning characteristics (applications in ophthalmology). *Appl Optics*. 1980;19:1749–1757.
87. Kok JH, Boets EP, van Best JA, Kijlstra A: Fluorophotometric assessment of tear turnover under rigid contact lenses. *Cornea* 1992 Nov; 11(6): 515-7.
88. Kozer-Bilgin L, Demir N, Altan-Yaycioglu R: Microbiological evaluation of contact lenses and contact lens disinfection solutions in an asymptomatic population and in medical personnel. *CLAO J* 1999 Oct; 25(4): 228-32.
89. Krachmer JH, Mannis JM, Holland EJ: Cornea. In: Mosby. 1997: 1-2253.
90. Krachmer JH, Purcell JJ Jr: Bacterial corneal ulcers in cosmetic soft contact lens wearers. *Arch Ophthalmol* 1978 Jan; 96(1): 57-61.
91. Kumar M, Shukla PK: Use of PCR targeting of internal transcribed spacer regions and single-stranded conformation polymorphism analysis of sequence variation in different regions of rRNA genes in fungi for rapid diagnosis of mycotic keratitis. *J Clin Microbiol* 2005; 43(2): 662-8.
92. Lam DS, Houang E, Fan DS, Lyon D, Seal D, Wong E. Incidence and risk factors for microbial keratitis in Hong Kong: comparison with Europe and North America. *Eye*. 2002;16:608-618.
93. Laspina F, Samudio M, Cibils D, et al. Epidemiological characteristics of microbiological results on patients with infectious corneal ulcers: a 13-year survey in Paraguay. *Graefes Arch Clin Exp Ophthalmol*. 2004;242:204-209.

BIBLIOGRAPHY: Clinical Anterior Segment

94. Lass JH, Dutt RM, Spurney RV, et al: Morphologic and fluorophotometric analysis of the corneal endothelium in long-term hard and soft contact lens wearers. *CLAO J* 1988 Apr-Jun; 14(2): 105-9.
95. Leck AK, Thomas PA, Hagan M, et al. Aetiology of suppurative corneal ulcers in Ghana and south India, and epidemiology of fungal keratitis. *Br J Ophthalmol.* 2002;86:1211-1215.
96. Leibowitz HM: Clinical evaluation of ciprofloxacin 0.3% ophthalmic solution for treatment of bacterial keratitis. *Am J Ophthalmol* 1991 Oct; 112(4 Suppl): 34S-47S.
97. Levenson DS: Changes in corneal curvature with long-term PMMA contact lens wear. *CLAO J* 1983 Apr-Jun; 9(2): 121-5.
98. Levenson JE: Corneal damage from improperly cleaned tonometer tips. *Arch Ophthalmol* 1989 Aug; 107(8): 1117.
99. Levine ML, Serdarevic ON: Increasing fluoroquinolone resistance and predominance of gram-positive organisms in contact lens-related corneal ulcers. *Ophthalmology* 1996; 103: 145.
100. Levy B, Heiler D, Norton S. Report on testing from an investigation of *Fusarium* keratitis in contact lens wearers. *Eye Contact Lens.* 2006;32:256-261.
101. Levy B, Stamper RL: Acute ptosis secondary to contact lens wear. *Optom Vis Sci* 1992 Jul; 69(7): 565-6.
102. Liesegang TJ, Forster RK. Spectrum of microbial keratitis in South Florida. *Am J Ophthalmol.* 1980;90:38-47.
103. Lindquist td: Treatment of *Acanthamoeba* keratitis. *Cornea* 1998; 17: 11-16.
104. Liu Z, Huang AJ, Pflugfelder SC: Evaluation of corneal thickness and topography in normal eyes using the Orbscan corneal topography system. *Br J Ophthalmol* 1999 Jul; 83(7): 774-8.
105. Liu Z, Pflugfelder SC: The effects of long-term contact lens wear on corneal thickness, curvature, and surface regularity. *Ophthalmology* 2000 Jan; 107(1): 105-11.
106. Mabon M: Fungal keratitis. *Int Ophthalmol Clin* 1998 Fall; 38(4): 115-23.
107. Mac Rae SM, Matsuda M, Shellans S, Rich LF: The effects of hard and soft contact lenses on the corneal endothelium. *Am J Ophthalmol* 1986 Jul 15; 102(1): 50-7.
108. MacRae SM, Matsuda M, Phillips DS: The long-term effects of polymethylmethacrylate contact lens wear on the corneal endothelium. *Ophthalmology* 1994 Feb; 101(2): 365-70.
109. Macsai MS, Varley GA, Krachmer JH: Development of keratoconus after contact lens wear. Patient characteristics. *Arch Ophthalmol* 1990 Apr; 108(4): 534-8.
110. Mah-Sadorra JH, Yavuz SG, Najjar DM, Laibson PR, Rapuano CJ, Cohen EJ. Trends in contact lens-related corneal ulcers. *Cornea.* 2005;24:51-58.
111. Malinovsky V, et al: Epithelial splits of the superior cornea in hydrogel contact lens patients. *ICLC* 1989; 16: 252-4.
112. Marciano-Cabral F, Cabral G: *Acanthamoeba* spp. as agents of disease in humans. *Clin Microbiol Rev* 2003 Apr; 16(2): 273-307.
113. Mathers WD, Goldberg MA, Sutphin JE, et al.. Coexistent *Acanthamoeba* keratitis and herpetic keratitis. *Arch Ophthalmol.* 1997;115:714-718.

BIBLIOGRAPHY: Clinical Anterior Segment

114. Mathers WD, Nelson SE, Lane JL, et al.. Confirmation of confocal microscopy diagnosis of Acanthamoeba keratitis using polymerase chain reaction analysis. *Arch Ophthalmol*. 2000;118:178–183.
115. Mathers WD, Nelson SE, Lane JL, et al: Confirmation of confocal microscopy diagnosis of Acanthamoeba keratitis using polymerase chain reaction analysis. *Arch Ophthalmol* 2000 Feb; 118(2): 178-83.
116. Mathers WD, Sutphin JE, Folberg R, et al.. Outbreak of keratitis presumed to be caused by Acanthamoeba. *Am J Ophthalmol*. 1996;121:129–142.
117. Matthews TD, Frazer DG, Minassian DC, et al: Risks of keratitis and patterns of use with disposable contact lenses. *Arch Ophthalmol* 1992 Nov; 110(11): 1559-62.
118. McLeod SD, Goei SL, Taglia DP, McMahan TT: Nonulcerating bacterial keratitis associated with soft and rigid contact lens wear. *Ophthalmology* 1998 Mar; 105(3): 517-21.
119. McNamara NA, Polse KA, Brand RJ, et al: Tear mixing under a soft contact lens: effects of lens diameter. *Am J Ophthalmol* 1999 Jun; 127(6): 659-65.
120. McNamara NA, Polse KA, Fukunaga SA, et al: Soft lens extended wear affects epithelial barrier function. *Ophthalmology* 1998 Dec; 105(12): 2330-5[Full Text].
121. Miedziak AI, Miller MR, Rapuano CJ, Laibson PR, Cohen EJ. Risk factors in microbial keratitis leading to penetrating keratoplasty. *Ophthalmology*. 1999;106:1166-1170.
122. Miller RA, Brightbill FS, Slama SL: Superior limbic keratoconjunctivitis in soft contact lens wearers. *Cornea* 1982; 1: 293.
123. Millodot M, O'Leary DJ: Effect of oxygen deprivation on corneal sensitivity. *Acta Ophthalmol (Copenh)* 1980 Jun; 58(3): 434-9.
124. Mondino BJ, Groden LR: Conjunctival hyperemia and corneal infiltrates with chemically disinfected soft contact lenses. *Arch Ophthalmol* 1980 Oct; 98(10): 1767-70.
125. Moore MB, McCulley JP, Kaufman HE, Robin JB: Radial keratoneuritis as a presenting sign in Acanthamoeba keratitis. *Ophthalmology* 1986 Oct; 93(10): 1310-5.
126. Moore MB, McCulley JP, Luckenbach M, et al: Acanthamoeba keratitis associated with soft contact lenses. *Am J Ophthalmol* 1985 Sep 15; 100(3): 396-403.
127. Moore MB, Newton C, Kaufman HE: Chronic keratitis caused by *Mycobacterium gordonae*. *Am J Ophthalmol* 1986 Oct 15; 102(4): 516-21.
128. Morgan P, Efron N, Woods C, et al. International contact lens prescribing in 2005. *Contact Lens Spectrum*. 2006;21:35-39.
129. Morgan PB, Efron N, Brennan NA, Hill EA, Raynor MK, Tullo AB. Risk factors for the development of corneal infiltrative events associated with contact lens wear. *Invest Ophthalmol Vis Sci*. 2005;46:3136-3143.
130. Morgan PB, Efron N, Hill EA, Raynor MK, Whiting MA, Tullo AB. Incidence of keratitis of varying severity among contact lens wearers. *Br J Ophthalmol*. 2005;89:430-436.
131. Newman PE, Goodman RA, Waring GO 3d: A cluster of cases of *Mycobacterium chelonae* keratitis associated with outpatient office procedures. *Am J Ophthalmol* 1984 Mar; 97(3): 344-8.

BIBLIOGRAPHY: Clinical Anterior Segment

132. Nicolitz E, Flanagan JC: Orbital mass as a complication of contact lens wear. *Arch Ophthalmol* 1978 Dec; 96(12): 2238-9.
133. Nieuwendaal CP, Odenthal MT, Kok JH, et al: Morphology and function of the corneal endothelium after long-term contact lens wear. *Invest Ophthalmol Vis Sci* 1994 Jun; 35(7): 3071-7.
134. Nilsson SE, Lindh H: Daily contact lens wear. A three year follow-up. *Acta Ophthalmol (Copenh)* 1984 Aug; 62(4): 556-65.
135. Nilsson SEG, Montan PG. The annualised incidence of contact lens induced keratitis in Sweden and its relation to lens type and wear schedule: results of a 3-month prospective study. *CLAO J*. 1994;20:225-230.
136. O'Brien TP, Maguire MG, Fink NE, et al: Efficacy of ofloxacin vs cefazolin and tobramycin in the therapy for bacterial keratitis. Report from the Bacterial Keratitis Study Research Group. *Arch Ophthalmol* 1995 Oct; 113(10): 1257-65.
137. Orsborn GN, Zantos SG: Corneal desiccation staining with thin high water content contact lenses. *CLAO J* 1988 Apr-Jun; 14(2): 81-5.
138. Pachigolla G, Blomquist P, Cavanagh HD. Microbial keratitis pathogens and antibiotic susceptibilities: a 5-year review of cases at an urban county hospital in north Texas. *Eye Contact Lens*. 2007;33:45-49.
139. Panda A, Sharma N, Das G, et al: Mycotic keratitis in children: epidemiologic and microbiologic evaluation. *Cornea* 1997 May; 16(3): 295-9.
140. Parmar P, Salman A, Kalavathy CM: Comparison of topical gatifloxacin 0.3% and ciprofloxacin 0.3% for the treatment of bacterial keratitis. *Am J Ophthalmol* 2006 Feb; 141(2): 282-286.
141. Pate JC, Jones DB, Wilhelmus KR: Prevalence and spectrum of bacterial co-infection during fungal keratitis. *Br J Ophthalmol* 2006 Mar; 90(3): 289-92.
142. Pfister DR, Cameron JD, Krachmer JH, Holland EJ. Confocal microscopy findings of *Acanthamoeba* keratitis. *Am J Ophthalmol*. 1996;121:119-128.
143. Poggio EC, Glynn RJ, Schein OD, et al: The incidence of ulcerative keratitis among users of daily-wear and extended-wear soft contact lenses. *N Engl J Med* 1989 Sep 21; 321(12): 779-83.
144. Poggio EC, Glynn RJ, Schein OD: The incidence of ulcerative keratitis among users of daily-wear and extended-wear soft contact lenses. *N Engl J Med* 1989 Sep 21; 321(12): 779-83.
145. Polse KA, Brand RJ, Cohen SR, Guillon M: Hypoxic effects on corneal morphology and function. *Invest Ophthalmol Vis Sci* 1990 Aug; 31(8): 1542-54.
146. Prajna NV, John RK, Nirmalan PK: A randomised clinical trial comparing 2% econazole and 5% natamycin for the treatment of fungal keratitis. *Br J Ophthalmol* 2003; 87(10): 1235-7.
147. Prajna NV, Nirmalan PK, Mahalakshmi R: Concurrent use of 5% natamycin and 2% econazole for the management of fungal keratitis. *Cornea* 2004; 23(8): 793-6.
148. Rabbetts RB: *Clinical Visual Optics*. Butterworth Heinemann; 1998: 378-420.
149. Rabinovitch T, Weissman SS, Ostler HB, et al: *Acanthamoeba* keratitis: clinical signs and analysis of outcome. *Rev Infect Dis* 1991 Mar-Apr; 13 Suppl 5: S427.
150. Radford CF, Minassian D, Dart JKG. Disposable contact lens use as a risk factor for microbial keratitis. *Br J Ophthalmol*. 1998;82:1272-1275.

BIBLIOGRAPHY: Clinical Anterior Segment

151. Radford CF, Minassian DC, Dart JK: Disposable contact lens use as a risk factor for microbial keratitis. *Br J Ophthalmol* 1998 Nov; 82(11): 1272-5.
152. Ren DH, Petroll WM, Jester JV, et al.. Short-term hypoxia downregulates epithelial cell desquamation in vivo, but does not increase *Pseudomonas aeruginosa* adherence to exfoliated human corneal epithelial cells. *CLAO J.* 1999;25:73–79.
153. Ren DH, Petroll WM, Jester JV, et al.. The relationship between contact lens oxygen permeability and binding of *Pseudomonas aeruginosa* to human corneal epithelial cells after overnight and extended wear. *CLAO J.* 1999;25:80–100.
154. Ren DH, Petroll WM, Jester JV, et al: The effect of rigid gas permeable contact lens wear on proliferation of rabbit corneal and conjunctival epithelial cells. *CLAO J* 1999 Jul; 25(3): 136-41.
155. Ren DH, Petroll WM, Jester JV, et al: The relationship between contact lens oxygen permeability and binding of *Pseudomonas aeruginosa* to human corneal epithelial cells after overnight and extended wear. *CLAO J* 1999 Apr; 25(2): 80-100.
156. Ritterband DC, Seedor JA, Shah MK, Koplín RS, McCormick SA. Fungal keratitis at the New York Eye and Ear Infirmary. *Cornea.* 2006;25:264-267.
157. Robin JB, Regis-Pacheco LF, May WN, et al: Giant papillary conjunctivitis associated with an extruded scleral buckle. Case report. *Arch Ophthalmol* 1987 May; 105(5): 619.
158. Rosa RH Jr, Miller D, Alfonso EC: The changing spectrum of fungal keratitis in south Florida. *Ophthalmology* 1994 Jun; 101(6): 1005-13.
159. Rosenfeld SI, Mandelbaum S, Corrent GF, et al: Granular epithelial keratopathy as an unusual manifestation of *Pseudomonas* keratitis associated with extended-wear soft contact lenses. *Am J Ophthalmol* 1990 Jan 15; 109(1): 17-22.
160. Rosenthal RA, Dassanayake NL, Schlitzer RL, Schlech BA, Meadows DL, Stone RP. Biocide uptake in contact lenses and loss of fungicidal activity during storage of contact lenses. *Eye Contact Lens.* 2006;32:262-266.
161. Rosenthal RA, Henry CL, Schlech BA. Contribution of regimen steps to disinfection of hydrophilic contact lenses. *Cont Lens Anterior Eye.* 2004;27:149-156.
162. Samples JR, Binder PS, Luibel FJ, et al: Acanthamoeba keratitis possibly acquired from a hot tub. *Arch Ophthalmol* 1984 May; 102(5): 707-10.
163. Sanaty M, Temel A: Corneal sensitivity changes in long-term wearing of hard polymethylmethacrylate contact lenses. *Ophthalmologica* 1998; 212(5): 328-30.
164. Sankaridurg PR, Sharma S, Willcox M, et al: Colonization of hydrogel lenses with *Streptococcus pneumoniae*: risk of development of corneal infiltrates. *Cornea* 1999 May; 18(3): 289-95.
165. Saw SM, Ooi PL, Tan DT, et al. Risk factors for contact lens-related *Fusarium* keratitis: a case-control study in Singapore. *Arch Ophthalmol.* 2007;125:611-617.
166. Schaumberg DA, Snow KK, Dana MR. The epidemic of Acanthamoeba keratitis: where do we stand? *Cornea.* 1998;17:3-10.
167. Schein OD, Buehler PO, Stamler JF, et al: The impact of overnight wear on the risk of contact lens-associated ulcerative keratitis. *Arch Ophthalmol* 1994 Feb; 112(2): 186-90.

BIBLIOGRAPHY: Clinical Anterior Segment

168. Schein OD, Buehler PO, Stamler JF, Verdier DD, Katz J. The impact of overnight wear on the risk of contact lens-associated ulcerative keratitis. *Arch Ophthalmol*. 1994;112:186-190.
169. Schein OD, Glynn RJ, Poggio EC: The relative risk of ulcerative keratitis among users of daily-wear and extended-wear soft contact lenses. A case-control study. Microbial Keratitis Study Group. *N Engl J Med* 1989 Sep 21; 321(12): 773-8.
170. Schein OD, Glynn RJ, Poggio EP, Seddon JM, Kenyon KR, group MKS. The relative risk of ulcerative keratitis among users of daily-wear and extended wear soft contact lenses. *N Engl J Med*. 1989;321:773-778.
171. Schleich BA, Alfonso E: Overview of the potency of moxifloxacin ophthalmic solution 0.5% (VIGAMOX). *Surv Ophthalmol* 2005 Nov; 50 Suppl 1: S7-15.
172. Schuman JS: Ophthalmic imaging and diagnostics. *Ophthalmology Clinics of North America* 1998; 11: 1-490.
173. Sebag J, Albert DM: Pseudochalazion of the upper lid due to hard contact lens embedding -- case reports and literature review. *Ophthalmic Surg* 1982 Aug; 13(8): 634-6.
174. Sendele DD, Kenyon KR, Mobilia EF, et al: Superior limbic keratoconjunctivitis in contact lens wearers. *Ophthalmology* 1983 Jun; 90(6): 616-22.
175. Setala K, Vasara K, Vesti E, Ruusuvaara P: Effects of long-term contact lens wear on the corneal endothelium. *Acta Ophthalmol Scand* 1998 Jun; 76(3): 299-303.
176. Sharma S, Keratitis. *Biosci Rep*. 2001 Aug;21(4):419-44.
177. Sheldon L, Biedner B, Geltman C, Sachs U: Giant papillary conjunctivitis and ptosis in a contact lens wearer. *J Pediatr Ophthalmol Strabismus* 1979 Mar-Apr; 16(2): 136-7.
178. Shoff M, Rogerson A, Schatz S, Seal D. Variable responses of *Acanthamoeba* strains to three multipurpose lens cleaning solutions. *Optom Vis Sci*. 2007;84:202-207.
179. Snyder C. Lens care complications--where's the rub? *Cont Lens Anterior Eye*. 2006;29:161-162.
180. Srinivasan BD, Jakobiec FA, Iwamoto T, DeVoe AG: Giant papillary conjunctivitis with ocular prostheses. *Arch Ophthalmol* 1979 May; 97(5): 892-5.
181. Srinivasan M, Gonzales CA, George C, et al. Epidemiology and aetiological diagnosis of corneal ulceration in Madurai, south India. *Br J Ophthalmol*. 1997;81:965-971.
182. Srinivasan M: Fungal keratitis. *Curr Opin Ophthalmol* 2004; 15(4): 321-7.
183. Stapleton F, Dart JKG, Minassian D. Risk factors with contact lens related suppurative keratitis. *CLAO J*. 1993;19:204-210.
184. Stapleton F, Seal DV, Dart J: Possible environmental sources of *Acanthamoeba* species that cause keratitis in contact lens wearers. *Rev Infect Dis* 1991 Mar-Apr; 13 Suppl 5: S392
185. Stapleton F, Willcox MD, Morris CA, Sweeney DF: Tear changes in contact lens wearers following overnight eye closure. *Curr Eye Res* 1998 Feb; 17(2): 183-8.
186. Stehr-Green JK, Bailey TM, Brandt FH, Carr JH, Bond WW, Visvesvara GS. *Acanthamoeba* keratitis in soft contact lens wearers. A case-control study. *JAMA*. 1987;258:57-60.

BIBLIOGRAPHY: Clinical Anterior Segment

187. Stehr-Green JK, Bailey TM, Visvesvara GS: The epidemiology of Acanthamoeba keratitis in the United States. *Am J Ophthalmol* 1989 Apr 15; 107(4): 331-6.
188. Stern GA, Buttross M: Use of corticosteroids in combination with antimicrobial drugs in the treatment of infectious corneal disease. *Ophthalmology* 1991 Jun; 98(6): 847-53.
189. Stern GA, Schemmer GB, Farber RD: Effect of topical antibiotic solutions on corneal epithelial wound healing. *Arch Ophthalmol* 1983 Apr; 101(4): 644-7.
190. Stern GA: Contact lens associated bacterial keratitis: past, present, and future. *CLAO J* 1998 Jan; 24(1): 52-6.
191. Sugar A, Meyer RF: Giant papillary conjunctivitis after keratoplasty. *Am J Ophthalmol* 1981 Feb; 91(2): 239-42.
192. Sun X, Zhang Y, Li R, et al: Acanthamoeba keratitis: clinical characteristics and management. *Ophthalmology* 2006 Mar; 113(3): 412-6
193. Talamo JH, Larkin DS: Bilateral Acanthamoeba keratitis and gas-permeable contact lenses. *Am J Ophthalmol* 1993 Nov 15; 116(5): 651-2.
194. Thebpatiphat N, Hammersmith KM, Rocha FN, et al. Acanthamoeba keratitis: a parasite on the rise. *Cornea*. 2007;26:701-706.
195. Thomas PA: Fungal infections of the cornea. *Eye* 2003; 17(8): 852-62.
196. Toshida H, Kogure N, Inoue N, Murakami A. Trends in microbial keratitis in Japan. *Eye Contact Lens*. 2007;33:70-73.
197. Upadhyay MP, Karmacharya PC, Koirala S, et al. Epidemiologic characteristics, predisposing factors, and etiologic diagnosis of corneal ulceration in Nepal. *Am J Ophthalmol*. 1991;111:92-99.
198. Update: Fusarium keratitis--United States, 2005-2006. *MMWR Morb Mortal Wkly Rep*. 2006;55:563-564.
199. Vallas V, Stapleton F, Willcox MD: Bacterial invasion of corneal epithelial cells. *Aust N Z J Ophthalmol* 1999 Jun-Aug; 27(3-4): 228-30.
200. van den Bosch WA, Lemij HG: Blepharoptosis induced by prolonged hard contact lens wear. *Ophthalmology* 1992 Dec; 99(12): 1759-65.
201. Varaprasathan G, Miller K, Lietman T, et al. Trends in the etiology of infectious corneal ulcers at the F. I. Proctor Foundation. *Cornea*. 2004;23:360-364.
202. Varma R, eds: Cornea/external diseases. *Essentials of Eye Care: The Johns Hopkins Wilmer Handbook*. Lippincott Williams & Wilkins; 1997:152-203.
203. Weinstein GS, Myers BB: Eyelid retraction as a complication of an embedded hard contact lens. *Am J Ophthalmol* 1993 Jul 15; 116(1): 102-3.
204. Weissgold DJ, Orlin SE, Sulewski ME, et al: Delayed-onset fungal keratitis after endophthalmitis. *Ophthalmology* 1998 Feb; 105(2): 258-62.
205. Wilson SE, Lin DT, Klyce SD, et al: Topographic changes in contact lens-induced corneal warpage. *Ophthalmology* 1990 Jun; 97(6): 734-44.
206. Wilson-Holt N, Dart JK: Thiomersal keratoconjunctivitis, frequency, clinical spectrum and diagnosis. *Eye* 1989; 3 (Pt 5): 581-7.
207. Winchester K, Mathers WD, Sutphin JE, Daley TE. Diagnosis of Acanthamoeba keratitis in vivo with confocal microscopy. *Cornea*. 1995;14:10-17.
208. Winchester K, Mathers WD, Sutphin JE. Diagnosis of Aspergillus keratitis in vivo with confocal microscopy. *Cornea*. 1997;16:27-31.

BIBLIOGRAPHY: Clinical Anterior Segment

209. Wong T, Ormonde S, Gamble G, McGhee CN. Severe infective keratitis leading to hospital admission in New Zealand. *Br J Ophthalmol.* 2003;87:1103-1108.
210. Yassin JG, White RH, Shannon GM: Blepharoptosis as a complication of contact lens migration. *Am J Ophthalmol* 1971 Sep; 72(3): 536-7.
211. Aaberg T. Correlation between corneal endothelial morphology and function. *Amer J Ophthalmol.* 1984;98:510.
212. Abbott R, Forster R. Clinical specular microscopy and intraocular surgery. *Arch Ophthalmol.* 1979;97:1476.
213. Adamis AP, Filatov V, Tripathi BJ, et al. Fuchs' endothelial dystrophy of the cornea. *Surv Ophthalmol.* 1993;38:149–168.
214. Anderson NJ, Badawi DY, Grossniklaus HE, Stulting RD: Posterior polymorphous membranous dystrophy with overlapping features of iridocorneal endothelial syndrome. *Arch Ophthalmol* 2001 Apr; 119(4): 624-5.
215. Anderson NJ, Badawi DY, Grossniklaus HE, Stulting RD: Posterior polymorphous membranous dystrophy with overlapping features of iridocorneal endothelial syndrome. *Arch Ophthalmol* 2001 Apr; 119(4): 624-5.
216. Apple D, Mamalis N, Lofffield Ke. Complications of intraocular lenses. A histological and histopathological review. *Surv Ophthalmol.* 1984;29:1.
217. Azen S, Hurt A, Steel D, et al. Effects of the shearing posterior chamber intraocular lens on the corneal endothelium. *Am J Ophthalmol.* 1983;95:798.
218. Barr J, Schoessler J. Corneal endothelial response to rigid contact lenses. *Amer J Optom Physiol Opt.* 1980;57:267.
219. Bechara SJ, Grossniklaus HE, Waring GO, Wells JA 3rd: Keratoconus associated with posterior polymorphous dystrophy. *Am J Ophthalmol* 1991 Dec 15; 112(6): 729-31.
220. Bechara SJ, Grossniklaus HE, Waring GO, Wells JA 3rd: Keratoconus associated with posterior polymorphous dystrophy. *Am J Ophthalmol* 1991 Dec 15; 112(6): 729-31.
221. Berg C, Binder P, Kahn M. Distribution of cell areas in normal and transplanted corneas. *Exp Eye Res.* 1980;31:623.
222. Bigar F, Schimmelpfennig B, and Hurzeler R. Cornea guttata in donor material. *Arch Ophthalmol.* 1978;96:653.
223. Bigar F, Schimmelpfennig B, Giesler R. Routine evaluation of endothelium in human donor corneas. *Albrecht von Graefes Arch Klin Exp Ophthalmol.* 1976;200:195.
224. Bigar F, Witmer R. Corneal endothelial changes in primary acute angle-closure glaucoma. *Ophthalmology.* 1982;89:596.
225. Binder P, Sternberg H, Wickman M, Worthen D. Corneal endothelial damage associated with phacoemulsification. *Amer J Ophthalmol.* 1976;82:48.
226. Binder P. Eye banking and corneal preservation. In: *Transactions of the New Orleans Academy of Ophthalmology.* St. Louis: C.V. Mosby; 1980. Symposium on Medical and Surgical Diseases of the Cornea.
227. Binkhorst C, Nygaard P, Loones L. Specular microscopy of the corneal endothelium and lens implant surgery. *Amer J Ophthalmol.* 1978;85:597.
228. Blatt H, Rao G, Aquavella J. Endothelial cell density in relation to morphology. *Invest Ophthalmol.* 1979;18:856.

BIBLIOGRAPHY: Clinical Anterior Segment

229. Boruchoff S, Kuwabara T. Electron microscopy of posterior polymorphous degeneration. *Am J Ophthalmol.* 1971;72:879.
230. Boruchoff SA, Weiner MJ, Albert DM: Recurrence of posterior polymorphous corneal dystrophy after penetrating keratoplasty. *Am J Ophthalmol* 1990 Mar 15; 109(3): 323-8.
231. Boruchoff SA, Weiner MJ, Albert DM: Recurrence of posterior polymorphous corneal dystrophy after penetrating keratoplasty. *Am J Ophthalmol* 1990 Mar 15; 109(3): 323-8.
232. Bourne W, and Brubaker R. Progression and regression of partial corneal involvement in the iridocorneal endothelial syndrome . *Amer J Ophthalmol.* 1992;114:171.
233. Bourne W, Brubaker R, O'Fallon W. Use of air to decrease endothelial cell loss during intraocular lens implantation. *Arch Ophthalmol.* 1979;97:1473.
234. Bourne W, Kaufman H. Cataract extraction and the corneal endothelium. *Amer J Ophthalmol.* 1976;82:44.
235. Bourne W, Kaufman H. Endothelial damage associated with intraocular lenses. *Amer J Ophthalmol.* 1976;81:482.
236. Bourne W, Kaufman H. Specular microscopy of the human corneal endothelium in vivo. *Amer J Ophthalmol.* 1976;81:319.
237. Bourne W, Kaufman H. The endothelium of clear corneal transplants. *Arch Ophthalmol.* 1976;94:1730.
238. Bourne W, McCarey B, Kaufman H. Clinical specular microscopy. *Trans Amer Acad Ophthalmol and Otolary.* 1976;81:743.
239. Bourne W, O'Fallon W. Endothelial cell loss during penetrating keratoplasty. *Amer J Ophthalmol.* 1978;85:760.
240. Bourne W. Chronic endothelial cell loss in transplanted corneas. *Cornea.* 1983;2:289.
241. Bourne W. Examination and photography of donor corneal endothelium. *Arch Ophthalmol.* 1976;94:1799.
242. Bourne W. Morphologic and functional evaluation of the endothelium of transplanted human corneas. *Trans Am Ophthalmol Soc.* 1983;81:403.
243. Bourne W. One year observation of transplanted human corneal endothelium. *Ophthalmology.* 1980;87:673.
244. Bourne W. Partial corneal involvement in the iridocorneal endothelial syndrome. *Am J Ophthalmol.* 1982;94:774.
245. Bourne WM, Hodge DO, McLaren JW: Estimation of corneal endothelial pump function in long-term contact lens wearers. *Invest Ophthalmol Vis Sci* 1999 Mar; 40(3): 603-11.
246. Bourne WM, Holtan SB, Hodge DO: Morphologic changes in corneal endothelial cells during 3 years of fluorocarbon contact lens wear. *Cornea* 1999 Jan; 18(1): 29-33.
247. Bourne WM, Nelson LR, Hodge DO. Central corneal endothelial changes over a ten-year period. *Invest Ophthalmol Vis Sci.* 1997;38:779–782.
248. Bourne WM. The effect of long-term contact lens wear on the cells of the cornea. *CLAO J.* 2001 Oct;27(4):225-30.

BIBLIOGRAPHY: Clinical Anterior Segment

249. Bourne WM. Cellular changes in transplanted human corneas. *Cornea*. 2001 Aug;20(6):560-9.
250. Bron A, Brown N. Endothelium of the corneal graft. *Trans Ophthalmol Soc UK*. 1974;94:863.
251. Brooks A, Grant G, and Gillies W. Differentiation of posterior polymorphous dystrophy from other posterior corneal opacities by specular microscopy. *Ophthalmology*. 1989;96:1639.
252. Brooks AM, Grant G, Gillies WE: Differentiation of posterior polymorphous dystrophy from other posterior corneal opacities by specular microscopy. *Ophthalmology* 1989 Nov; 96(11): 1639-45.
253. Brooks AM, Grant G, Gillies WE: Differentiation of posterior polymorphous dystrophy from other posterior corneal opacities by specular microscopy. *Ophthalmology* 1989 Nov; 96(11): 1639-45.
254. Buehler PO, Schein OD, Stamler JF, et al: The increased risk of ulcerative keratitis among disposable soft contact lens users. *Arch Ophthalmol* 1992 Nov; 110(11): 1555-8.
255. Burns RR, Bourne WM, Brubaker RF. Endothelial function in patients with cornea guttata. *Invest Ophthalmol Vis Sci*. 1981;20:
256. Busted N, Olsen T, Schmitz O. Clinical observations on the corneal thickness and the corneal endothelium in diabetes mellitus. *Br J Ophthalmol*. 1981;65:687.
257. Campbell D, Shields M, Smith T. The corneal endothelium in the spectrum of essential iris atrophy. *Amer J Ophthalmol*. 1978;86:317.
258. Carlson K, Bourne W, Brubaker R. Effect of long term contact lens wear on corneal endothelial cell morphology and function. *Invest Ophthalmol Vis Sci*. 1988;29:185.
259. Chandler P. Complications after cataract extraction. Clinical aspects. *Trans Amer Acad Ophthalmol Otolaryngol*. 1954;58:382.
260. Cheng H, Sturrock G, Rubinstein B, Bulpitt C. Endothelial cell loss and corneal thickness after intracapsular extraction and iris clip lens implantation. A randomized controlled trial (interim report). *Br J Ophthalmol*. 1977;61:785.
261. Chiou AG, Kaufman SC, Beuerman RW, et al: Confocal microscopy in posterior polymorphous corneal dystrophy. *Ophthalmologica* 1999; 213(4): 211-3.
262. Cibis G, Krachmer J, Phelps C, and Weingeist T. The clinical spectrum of posterior polymorphous dystrophy. *Arch Ophthalmol*. 1977;95:1529.
263. Cibis G, Krachmer J, Phelps C, Weingeist T. Iridocorneal adhesions in posterior polymorphous dystrophy. *Ophthalmology*. 1976;81:770.
264. Cibis G, Tripathi R. The differential diagnosis of Descemet's tears (Haab's striae) and posterior polymorphous dystrophy bauds. A clinico-pathologic study. *Ophthalmology*. 1982;89:614.
265. Cibis G, Weingeist T, Krachmer J. Traumatic corneal endothelial rings. *Arch Ophthalmol*. 1978;96:485.
266. Colville DJ, Savige J: Alport syndrome. A review of the ocular manifestations. *Ophthalmic Genet* 1997 Dec; 18(4): 161-73.
267. Colville DJ, Savige J: Alport syndrome. A review of the ocular manifestations. *Ophthalmic Genet* 1997 Dec; 18(4): 161-73.
268. Corneal endothelial photography. Three-year revision. *American Academy of*

BIBLIOGRAPHY: Clinical Anterior Segment

269. Culbertson W, Abbott R, Foster R. Endothelial cell loss in penetrating keratoplasty. *Ophthalmol.* 1982;89:600.
270. Doughty MJ. Toward a quantitative analysis of corneal endothelial cell morphology: a review of techniques and their application. *Optom Vis Sci.* 1989 Sep;66(9):626-42.
271. Drews R, Waltman S. Endothelial cell loss in intraocular lens placement. *Amer Introc Implant Soc J.* 1978;4:14.
272. Edelhauser H, Gonnering R, Van Horn D. Intraocular irrigating solutions. A comparative study of BSS Plus and lactated Ringer's solution. *Arch Ophthalmol.* 1978;96:516.
273. Edelhauser H, Van Horn D, Hyndiuk R, Schultz R. Intraocular irrigating solutions. Their effect on the corneal endothelium. *Arch Ophthalmol.* 1975;93:648.
274. Edelhauser H, Van Horn D, Schultz R, and Hyndiuk R. Comparative toxicity of intraocular irrigating solutions on the corneal endothelium. *Amer J Ophthalmol.* 1976;81:473.
275. Engelmann K, Bednarz J, Valtink M. Prospects for endothelial transplantation. *Exp Eye Res.* 2004 Mar;78(3):573-8.
276. Fischbarg J, Stuart J. The effect of vitreous humor on fluid transport by rabbit corneal endothelium. *Invest Ophthalmol.* 1975;14:497.
277. Forstot S, Blackwell W, Jaffe N, Kaufman H. The effect of intraocular lens implantation on the corneal endothelium. *Trans Amer Acad Ophthalmol and Otolaryngol.* 1977;83:195.
278. Forstot S, Gasset A. Transient traumatic posterior annular keratopathy of Payrau. *Arch Ophthalmol.* 1974;92:527.
279. Frost NA, Wu J, Lai TF, Coster DJ. A review of randomized controlled trials of penetrating keratoplasty techniques. *Ophthalmology.* 2006 Jun;113(6):942-9.
280. Galin M, Lin L, Fetherolf E, Ostbaum S, Sugar A. Time analysis of corneal endothelial cell density after cataract extraction. *Amer J Ophthalmol.* 1979;88:93.
281. Glasser D, Matsuda M, Gager We. Corneal endothelial morphology after anterior chamber lens implantation. *Arch Ophtalmol.* 1985;103:1347.
282. Goar E. Dystrophy of the corneal endothelium (cornea guttata) with a report of a histological examination. *Amer J Ophthalmol.* 1934;17:215.
283. Goar E. Postoperative hyaloid adhesions to the cornea. *Amer J Ophthalmol.* 1958;45:99.
284. Grupcheva CN, Chew GS, Edwards M, et al: Imaging posterior polymorphous corneal dystrophy by in vivo confocal microscopy. *Clin Experiment Ophthalmol* 2001 Aug; 29(4): 256-9.
285. Grupcheva CN, Chew GS, Edwards M, et al: Imaging posterior polymorphous corneal dystrophy by in vivo confocal microscopy. *Clin Experiment Ophthalmol* 2001 Aug; 29(4): 256-9.
286. Henriquez AS, Kenyon KR, Dohlman CH, et al: Morphologic characteristics of posterior polymorphous dystrophy. A study of nine corneas and review of the literature. *Surv Ophthalmol* 1984 Sep-Oct; 29(2): 139-47.
287. Henriquez AS, Kenyon KR, Dohlman CH, et al: Morphologic characteristics of posterior polymorphous dystrophy. A study of nine corneas and review of the literature. *Surv Ophthalmol* 1984 Sep-Oct; 29(2): 139-47.

BIBLIOGRAPHY: Clinical Anterior Segment

288. Hetherington J, Jr. The spectrum of Chandler's syndrome. *Ophthalmology*. 1978;85:240.
289. Hiles D, Biglan A, and Fetherolf E. Central endothelial cell counts in children. *Amer Intraocular Implant Society J of Ophthalmol*. 1979;5:292.
290. Hirst L, Auer C, Cohn J, Tseng S, Khodadoust A. Specular microscopy of hard contact lens wearers. *Ophthalmology*. 1984; 91:1147.
291. Hirst L, Green W, Luckenback M, Cruz Z, Stark W. Epithelial characteristics of the endothelium in Chandler's syndrome. *Inv Ophthalmol Vis Sci*. 1983;24:603.
292. Hirst L, Quigley H, Stark W, Shields M. Specular microscopy of iridocorneal endothelial syndrome. *Amer J Ophthalmol*. 1980;89:11.
293. Hirst L, Snip R, Stark W, Maumanee A. Quantitative corneal endothelial evaluation in intraocular lens implantation and cataract surgery. *Am J Ophthalmol*. 1977;84:775.
294. Hirst L, Waring G. Clinical specular microscopy of posterior polymorphous endothelial dystrophy. *Am J Ophthalmol*. 1983;95:143.
295. Hirst L. Specular microscopy of endothelial graft rejection. Las Vegas; 1982. Symposium on Endothelium. International Cornea Society.
296. Hoffer K, Kraft M. Normal endothelial cell count range. *Ophthalmology*. 1980;87:861.
297. Hoffer K. Vertical endothelial cell disparity. *Amer J Ophthalmol*. 1979;87:344.
298. Holden B, Sweeney D, Vannas Ae. Effects of long-term extended contact lens wear on the human cornea. *Invest Ophthalmol Vis Sci*. 1985;26:1489.
299. Holden B, Sweeney D, Vannus A, et al. Contact lens-induced endothelial polymegathism. *Invest Ophthalmol Vis Sci (suppl)*. 1985;26:275.
300. Holliday J, Buller C, and Bourne W. Specular microscopy and fluorophotometry in the diagnosis of epithelial downgrowth after a sutureless cataract operation. *Amer J Ophthalmol*. 1993;116:238.
301. Homer P, Peyman G, Sugar J. Automated vitrectomy in eyes with vitreocorneal touch associated with corneal dysfunction. *Amer J Ophthalmol*. 1980;89:500.
302. Hoppenreijns VP, Pels E, Vrensen GF, Treffers WF. Corneal endothelium and growth factors. *Surv Ophthalmol*. 1996 Sep-Oct;41(2):155-64.
303. Inaba M, Matsuda M, Shiozaki Y, and Kosai H. Regional specular microscopy of endothelial cell loss after intracapsular cataract extraction. A preliminary report. *Acta Ophthalmologica*. 1985;63:232.
304. Inomata H, Smelser G. Fine structural alterations of corneal endothelium during experimental uveitis. *Invest Ophthalmol*. 1970;9:272.
305. Irvine A, Kratz R, O'Donnell J. Endothelial damage with phacoemulsification and intraocular lens implantation. *Arch Ophthalmol*. 1978;96:1023.
306. Irvine A. The role of the endothelium in bullous keratopathy. *Arch Ophthalmol*. 1956;56:338.
307. Jaffe N. *Cataract Surgery and Its Complications*, 2Nd Ed. St. Louis: C.V. Mosby Co.; 1976:256.
308. Jakus M. Further observations on the fine structure of the cornea. *Invest Ophthalmol*. 1962;1:202.
309. Jensen P, Minckler D, Chandler J. Epithelial ingrowth. *Arch Ophthalmol*. 1977;95:837.

BIBLIOGRAPHY: Clinical Anterior Segment

310. Joyce NC. Cell cycle status in human corneal endothelium. *Exp Eye Res.* 2005 Dec;81(6):629-38. Epub 2005 Jul 28.
311. Joyce NC. Proliferative capacity of the corneal endothelium. *Prog Retin Eye Res.* 2003 May;22(3):359-89.
312. Katz J, Kaufman H, Goldberg E, Sheets J. Prevention of endothelial damage from intraocular lens insertion. *Trans Amer Acad Ophthalmol Otolaryngol.* 1977;83:204.
313. Kaufman H, Katz J, Valenti J, Sheets J, Goldberg E. Corneal endothelial damage with intraocular lenses. Contact adhesion between surgical materials and tissue. *Science.* 1977;198:525.
314. Kaufman H, Katz J. Endothelial damage from intraocular lens insertion. *Invest Ophthalmol.* 1976;15:996.
315. Keoleian G, Pack J, Hodge D, Trocme S, Bourne W. Structural and functional studies of the corneal endothelium in diabetes mellitus. *Amer J of Ophthalmol.* 1992;113:64.
316. Khodadoust A, and Hirst L. Diurnal variation in corneal endothelial morphology. *Ophthalmology.* 1984;91:1125.
317. Khodadoust A. The allograft rejection reaction. The leading cause of late failure of clinical corneal grafts in corneal graft failure. Jones B, ed. . Amsterdam: Associated Scientific Publishers; 1973. Ciba Foundation Symposium No. 15.
318. Kirk S, Burde R, and Waltman S. Minimizing corneal endothelial damage due to intraocular lens contact. *Invest Ophthalmol Vis Sci.* 1977;16:1053.
319. Kitagawa K, Fujisawa A, Mizuno T, Sasaki K. Twenty-three cases of primary cornea guttata. *Jpn J Ophthalmol.* 2001 Jan-Feb;45(1):93-8.
320. Klintworth GK: The molecular genetics of the corneal dystrophies--current status. *Front Biosci* 2003 May 1; 8: d687-713.
321. Klintworth GK: The molecular genetics of the corneal dystrophies--current status. *Front Biosci* 2003 May 1; 8: d687-713.
322. Koeppe L: Klinische Beobachtungen mit der Nerstspaltlampe und dem Hornhautmikroskop. *Albrecht von Graefe's Arch Klin Exp Ophthalmol* 1916; 91: 375-379.
323. Koeppe L: Klinische Beobachtungen mit der Nerstspaltlampe und dem Hornhautmikroskop. *Albrecht von Graefe's Arch Klin Exp Ophthalmol* 1916; 91: 375-379.
324. Krachmer JH: Posterior polymorphous corneal dystrophy: a disease characterized by epithelial-like endothelial cells which influence management and prognosis. *Trans Am Ophthalmol Soc* 1985; 83: 413-75.
325. Krachmer JH: Posterior polymorphous corneal dystrophy: a disease characterized by epithelial-like endothelial cells which influence management and prognosis. *Trans Am Ophthalmol Soc* 1985; 83: 413-75.
326. Kraff M, Sanders D, Lieberman H. Monitoring for continuing endothelial cell loss with cataract extraction and intraocular lens implantation. *Ophthalmology.* 1982;89:30.
327. Kraff M, Sanders D, Lieberman H. Specular microscopy in cataract and intraocular lens patients. A report of 564 cases. *Arch Ophthalmol.* 1980;98:1782.

BIBLIOGRAPHY: Clinical Anterior Segment

328. Laganowski H, Sherrard E, and Kerr Muir M. The posterior corneal surface in posterior polymorphous dystrophy. A specular microscopical study. *Cornea*. 1991;10(3):224.
329. Laganowski H, Sherrard E, Kerr Muir M, and Buckley R. Distinguishing features of the iridocorneal endothelial syndrome and posterior polymorphous dystrophy. The value of endothelial specular microscopy. *Br J Ophthalmol*. 1991;75:212.
330. Laganowski HC, Sherrard ES, Muir MG, Buckley RJ: Distinguishing features of the iridocorneal endothelial syndrome and posterior polymorphous dystrophy: value of endothelial specular microscopy. *Br J Ophthalmol* 1991 Apr; 75(4): 212-6.
331. Laganowski HC, Sherrard ES, Muir MG, Buckley RJ: Distinguishing features of the iridocorneal endothelial syndrome and posterior polymorphous dystrophy: value of endothelial specular microscopy. *Br J Ophthalmol* 1991 Apr; 75(4): 212-6.
332. Laing R, Leibowitz H, Chang R, Theodore J, Oak S. The endothelial mosaic in Fuchs dystrophy. A qualitative evaluation with specular microscope. *Arch Ophthalmol*. 1981;99:80.
333. Laing R, Neubauer L, Leibowitz H, Oak S. Coalescence of endothelial cells in the traumatized cornea II. Clinical observations. *Arch of Ophthalmol*. 1983;101:1712.
334. Laing R, Neubauer L, Oak S, Kayne H, Leibowitz H. Evidence for mitosis in the adult corneal endothelium. *Ophthalmol*. 1984;10:1129.
335. Laing R, Sandstrom M, Berrospi A, and Leibowitz H. The human corneal endothelium in keratoconus. A specular microscopic study. *Arch Ophthalmol*. 1979;97:1867.
336. Laing R, Sandstrom M, Leibowitz H, Berrospi A. Epithelialization of the anterior chamber. Clinical investigation with the specular microscope. *Arch Ophthalmol*. 1979;97:1870.
337. Lass J, Dutt R, Spurney R, Stocker E, Wolff C, Glavan I. Morphologic and fluorophotometric analysis of the corneal endothelium in hard and soft contact lens wearers. *CLAO J*. 1988;14:105.
338. Lass J, Spurney R, Dutt R, et al. A morphologic and fluorophotometric analysis of the corneal endothelium in type I diabetes mellitus and cystic fibrosis. *Amer J Ophthalmol*. 1985;100:783.
339. Laule A, Cable M, Hoffman C, Hanna C. Endothelial cell population changes of human cornea during life. *Arch Ophthalmol*. 1978;96:2031.
340. Leahy B. Bullous keratitis from vitreous contact. *Arch Ophthalmol*. 1951;46:22.
341. Leibowitz H, Laing R, Chang R, Theodore J, Oak S. Corneal edema secondary to vitreocorneal touch. *Arch Ophthalmol*. 1981; 99:417.
342. Liesegang T, Bourne W, Ilstrup D. Short and long-term endothelial cell loss associated with cataract extraction and intraocular lens implantation. *Am J Ophthalmol*. 1984;97:32.
343. Liesegang TJ. The response of the corneal endothelium to intraocular surgery.
344. Lorenzetti D, Uotila M, Parikh N, Kaufman H. Central cornea guttata. Incidence in the general population. *Amer J Ophthalmol*. 1967;64:115.
345. MacRae S, Matsuda M, and Phillips D. The long-term effects of polymethylmethacrylate contact lens wear on the corneal endothelium. *Ophthalmology*. 1994;101:365.

BIBLIOGRAPHY: Clinical Anterior Segment

346. MacRae S, Matsuda M, and Shellans S. Corneal endothelial changes associated with contact lens wear. *CLAO J.* 1989;15:82.
347. MacRae S, Matsuda M, Shellans S, Rich L. The effects of hard and soft contact lenses on the corneal endothelium. *Am J Ophthalmol.* 1986;102:50.
348. MacRae S, Matsuda M, Yee R. The effect of long-term hard contact lens wear on the corneal endothelium. *CLAO J.* 1985;11:322.
349. Mandell RB, Polse KA, Brand RJ, et al. Corneal hydration control in Fuchs' dystrophy. *Invest Ophthalmol Vis Sci.* 1989;30:845–852.
350. Martin N, Stark W, Maumenee A. Continuing corneal endothelial loss in intracapsular surgery with and without Binkhorst four-loop lenses. A long-term specular microscopy study. *Ophthalmic Surg.* 1987;18:867.
351. Matsuda M, Bourne W. Long-term morphologic changes in the endothelium of transplanted corneas. *Arch Ophthalmol.* 1985;103:1343.
352. Matsuda M, Suda T, Manabe R. Long-term observations of the graft endothelium with different postoperative courses. *Jpn J Ophthalmol.* 1983;27:556.
353. Matsuda M, Yee R, and Edelhauser H. Comparison of the corneal endothelium in an American and a Japanese population. *Arch Ophthalmol.* 1985;103:68.
354. Matsuda M, Yee R, Glasser D, Geroski D, Edelhauser H. Specular microscopic evaluation of donor corneal endothelium. *Arch Ophthalmol.* 1986;104:259.
355. Maurice DM. The cornea and sclera. In: Davson H, ed. *The Eye*, 3rd ed, Vol 1b. New York: Academic Press, 1984, p 76.
356. Mayer D. *Lattice Dystrophy in Clinical Wide-field Specular Microscopy.* London: Bailliere Tindall; 1984:68-69.
357. McCarey B, McNeil J. Specular microscopic evaluation of donor corneal endothelium. *Ann Ophthalmol.* 1977;19:1279.
358. McCarey B, Polack F, and Marshall E. The phacoemulsification procedure. I. The effect of intraocular irrigating solutions on the corneal endothelium. *Invest Ophthalmol.* 1976;15:449.
359. McCarey B. Noncontact specular microscopy: A macrophotography technique and some endothelial cell findings. *Ophthalmology.* 1979;86:1848.
360. Mergler S, Pleyer U. The human corneal endothelium: new insights into electrophysiology and ion channels. *Prog Retin Eye Res.* 2007 Jul;26(4):359-78. Epub 2007 Feb 22.
361. Mishima S. Clinical investigations on the corneal endothelium. *Am J Ophthalmol.* 1982;93:1.
362. Moroi SE, Gokhale PA, Schteingart MT, et al: Clinicopathologic correlation and genetic analysis in a case of posterior polymorphous corneal dystrophy. *Am J Ophthalmol* 2003 Apr; 135(4): 461-70.
363. Moroi SE, Gokhale PA, Schteingart MT, et al: Clinicopathologic correlation and genetic analysis in a case of posterior polymorphous corneal dystrophy. *Am J Ophthalmol* 2003 Apr; 135(4): 461-70.
364. Mortensen A, Sperling S. Human corneal endothelial cell density after an in vitro immitation of elevated intraocular pressure . *Acta Ophthalmol.* 1982;60:475.
365. Murphy C, Alvarado J, Juster R, and Maglio M. Prenatal and postnatal cellularity of the human corneal endothelium. A quantitative histological study. *Invest Ophthalmol Vis Sci.* 1984;25:312.

BIBLIOGRAPHY: Clinical Anterior Segment

366. Musch D, Schwartz A, Fitzgerald-Shelton K, Sugar A, and Meyer R. The effect of allograft rejection after penetrating keratoplasty on central endothelial cell density. *Am J Ophthalmol.* 1991;111:739.
367. Mustonen RK, McDonald MB, Srivannaboon S, et al. In vivo confocal microscopy of Fuchs' endothelial dystrophy. *Cornea.* 1998;17:493–503.
368. Neubauer L, Laing R, Leibowitz H, Oak S. Coalescence of endothelial cells in the traumatized cornea. I: Experimental observation in cryopreserved tissue. *Arch Ophthalmol.* 1983;101:1787.
369. Numa A, Nakamura J, Takashima M, and Kani K. Long-term corneal endothelial changes after intraocular lens implantation. Anterior vs. posterior chamber lenses. *Jpn J Ophthalmol.* 1993;37:78.
370. OHara K, Tsuru T, and Inoda S. Morphometric parameters of the corneal endothelial cells. *Acta Ophthalmol Japan.* 1987;91:1073.
371. Olsen T. Changes in the corneal endothelium after acute anterior uveitis as seen with the specular microscope. *Acta Ophthalmol.* 1980;58:250.
372. Olsen T. Non-contact specular microscopy of human corneal endothelium. *Acta Ophthalmol.* 1979;57:986.
373. Olsen T. Post-operative changes in the endothelial cell density of corneal grafts. *Acta Ophthalmologica.* 1981;59:863.
374. Olson R, Levensen J. Migration of donor endothelium in keratoplasty. *Amer J Ophthalmol.* 1977;84:711.
375. *Ophthalmology.* 1997 Aug;104(8):1360-5.
376. Ota Y. Endothelial permeability of fluorescein in corneal grafts and bullous keratopathy. *Jpn J Ophthalmol.* 1975;19:286.
377. Polack F, Sugar A. The phacoemulsification procedure. II. Corneal endothelial changes. *Invest Ophthalmol.* 1976;15:458.
378. Polack F, Sugar A. The phacoemulsification procedure. III. Corneal complications. *Invest Ophthalmol vis Sci.* 1977;16:39.
379. Polack F. Clinical and pathological aspects of the corneal graft reaction. *Trans of the American Academy of Ophthalmology and Otolaryngology.* 1973;77:486.
380. Polack F. The posterior corneal surface in Fuchs' dystrophy. Scanning electron microscopic study. *Invest Ophthalmol.* 1974;13:913.
381. Presberg S, Quigley H, Foster R, Green W. Posterior polymorphous corneal dystrophy. *Cornea.* 1986;4:239.
382. Presberg SE, Quigley HA, Forster RK, Green WR: Posterior polymorphous corneal dystrophy. *Cornea* 1985-86; 4(4): 239-48.
383. Presberg SE, Quigley HA, Forster RK, Green WR: Posterior polymorphous corneal dystrophy. *Cornea* 1985-86; 4(4): 239-48.
384. Quigley H, Forster R. Histopathology of cornea and iris in Chandler's syndrome. *Arch Ophthalmol.* 1978;96:1878.
385. Rao G, Shaw E, Arthur E, Aquavella J. Morphological appearance of the healing corneal endothelium. *Arch Ophthalmol.* 1978;96:2027.
386. Rao G, Stevens R, Harris J, Aquavella J. Long term changes in corneal endothelium following intraocular lens implantation. *Ophthalmology.* 1981;88:386.
387. Rao G, Stevens R, Mandelberg A, Aquavella J. Morphological variations in graft endothelium. *Arch Ophthalmol.* 1980;98:1403.

BIBLIOGRAPHY: Clinical Anterior Segment

388. Refract Corneal Surg. 1991 Jan-Feb;7(1):81-6.
389. Rodrigues M, Phelps C, Krachmer J, Cibis G, Weingeist T. Glaucoma due to endothelialization of the anterior chamber angle. A comparison of posterior polymorphous dystrophy of the cornea and Chandler's syndrome. Arch Ophthalmol. 1980;98:688.
390. Ruben M, Colebrook E, Guillon M. Keratoconus, keratoplasty thickness and endothelial morphology. Brit J Ophthalmol. 1979;63:790.
391. Ruusuvaara P. Endothelial cell densities in donor and recipient tissue after keratoplasty. Acta Ophthalmologica. 1980;58:267.
392. Ruusuvaara P. The fate of preserved and transplanted human corneal endothelium. Acta Ophthalmol. 1980;58:440.
393. Schimmelpfenning B, Bigar F, Witmer R, Hurzeler R. Endothelial changes in human donor corneas. Albrecht von Graefes Arch Klin Exp Ophthalmol. 1976;200:201.
394. Schoessler J, Woloschak M. Corneal endothelium in veteran PMMA contact lens wearers. Int Contact Lens Clinics. 1981;8:19.
395. Schoessler J. Corneal endothelial polymegathism associated with extended wear. Int Contact Lens Clinics. 1982;10:148.
396. Schultz R, Glasser D, Matsuda M, Yee R, and Edelhauser H. Response of the corneal endothelium to cataract surgery. Arch Ophthalmol. 1986;104:1164.
397. Schultz R, Matsuda M, Yee R, Edelhauser H, Schultz K. Corneal endothelial changes in type I and type II diabetes mellitus. Am J Ophthalmol. 1984;98:401.
398. Setala K, Vannas A. Corneal endothelial cells in essential iris atrophy. Acta Ophthalmol. 1979;57:1020.
399. Setala K, Vannas A. Endothelial cells in glaucomato-cyclitic crisis. Adv Ophthalmol. 1978;36:218.
400. Sherrard E, Novakovic P, Speedwell L. Age-related changes of the corneal endothelium and stroma as seen in vivo by specular microscopy. Eye. 1987;1:197.
401. Shields M, McCracken J, Klintworth G, Campbell D. Corneal edema in essential iris atrophy. Ophthalmology. 1979; 86:1533.
402. Shields M. Progressive essential iris atrophy, Chandler's syndrome and the iris nevus (Cogan-Reese) syndrome. A spectrum of diseases. Surv Ophthalmol. 1979;24:3.
403. Skuta G, Sugar J, and Erickson E. Corneal endothelial cell measurements in megalcornea. Am J Ophthalmol. 1983;101:51.
404. Smith M, Zimmerman L. Amyloid in corneal dystrophies. Arch Ophthalmol. 1968;79:407.
405. Smith R, Parrett C. Specular microscopy of epithelial downgrowth. Arch Ophthalmol. 1978;96:1222.
406. Snip R, Kenyon K, Green W. Retrocorneal fibrous membrane in the vitreous touch syndrome. Amer J Ophthalmol. 1975;79:233.
407. Stefansson A, Muller O, Sundmacher R. Non-contact specular microscopy of the normal corneal endothelium. A statistical evaluation of morphometric parameters. Graefe's Arch Clin Exp Ophthalmol. 1982;218:200.

BIBLIOGRAPHY: Clinical Anterior Segment

408. Stocker E, Schoessler J. Corneal endothelial polymegathism induced by PMMA contact lens wear. *Invest Ophthalmol Vis Sci.* 1985;26:857.
409. Stocker F. *The Endothelium of the Cornea and Its Clinical Implications.* Springfield, MA: Charles C. Thomas; 1971.
410. Sturrock G, Sherrard E, Rice N. Specular microscopy of the corneal endothelium. *Br J Ophthalmol.* 1978;62:809.
411. Sugai M, Kobayashi H, Tochikubo T, Komoto. Specular microscopic features of lattice dystrophy of the cornea. *Jpn J Ophthalmol.* 1985;39:186.
412. Sugar A, Fetherolf E, Lin L, Ostbaum S, and Galin M. Endothelial cell loss from intraocular lens insertion. *Ophthalmol.* 1978;85:394.
413. Sugar A. Clinical specular microscopy. *Surv Ophthalmol.* 1979 Jul-Aug;24(1):21-32.
414. Sugar J, Mitchelson J, and Kraff M. Endothelial trauma and cell loss from intraocular lens insertion. *Arch Ophthalmol.* 1978; 96:449.
415. Takahashi N, Sasaki K, Nakaizumi H, and Koniski F. Specular microscopic findings of lattice corneal dystrophy. *Int Ophthalmol.* 1987;10:47.
416. Team OC. Long-term corneal endothelial cell loss after cataract surgery. Results of a randomized control trial. *Arch Ophthalmol.* 1986;104:1170.
417. Teekhasaene C, Nimmanit S, Wutthiphon S, et al: Posterior polymorphous dystrophy and Alport syndrome. *Ophthalmology* 1991 Aug; 98(8): 1207-15.
418. Teekhasaene C, Nimmanit S, Wutthiphon S, et al: Posterior polymorphous dystrophy and Alport syndrome. *Ophthalmology* 1991 Aug; 98(8): 1207-15.
419. Tsubota K, Yamada M. Extended wear soft contact lenses induce corneal epithelial changes. *Ophthalmology (suppl).* 1992;99:128 (abstract).
420. Tuft SJ, Coster DJ. The corneal endothelium. *Eye.* 1990;4 (Pt 3):389-424.
421. Vannas A, Setala K, Ruusuvaara P. Endothelial cells in capsular glaucoma. *Acta Ophthalmol.* 1977;55:951.
422. Waring G, Bourne W, Edelhauser H, Kenyon K. The corneal endothelium. Normal and pathologic structure and function. *Ophthalmology.* 1982;89:531.
423. Waring G, Font R, Rodrigues M, Mulberger R. Alterations of Descemet's membrane in interstitial keratitis. *Amer J Ophthalmol.* 1976;81:773.
424. Waring G, Rodrigues M, Laibson P. Corneal dystrophies II. Endothelial dystrophies. *Surv Ophthalmol.* 1978;23:147.
425. Watsky M, McDermott M, Edelhauser H. In vitro corneal endothelial permeability in rabbit and human. The effects of age, cataract surgery and diabetes. *Exp Eye Res.* 1989;49:751.
426. Weed KH, MacEwen CJ, Cox A, McGhee CN. Quantitative analysis of corneal microstructure in keratoconus utilizing in vivo confocal microscopy. *Eye.* 2007 May;21(5):614-23. Epub 2006 Feb 24.
427. Weissman BA, Ehrlich M, Levenson JE, Pettit TH: Four cases of keratoconus and posterior polymorphous corneal dystrophy. *Optom Vis Sci* 1989 Apr; 66(4): 243-6
428. Weissman BA, Ehrlich M, Levenson JE, Pettit TH: Four cases of keratoconus and posterior polymorphous corneal dystrophy. *Optom Vis Sci* 1989 Apr; 66(4): 243-6.
429. Wilkinson C, Rowsey J. Closed vitrectomy for the vitreous touch syndrome. *Amer J Ophthalmol.* 1980;90:304.

BIBLIOGRAPHY: Clinical Anterior Segment

430. Wilson SE, Bourne WM, O'Brien PC, et al. Endothelial function and aqueous humor flow rate in patients with Fuchs' dystrophy. *Am J Ophthalmol.* 1988;106:270–278.
431. Wilson SE, Bourne WM. Fuchs' dystrophy. *Cornea.* 1988;7:2–18.
432. Yamaguchi K, Hirst L, Enger C, Rosenfeld J, Vogelpohl W. Specular microscopy of hard contact lens wearers. II. *Ophthalmology.* 1989;96:1176.
433. Yanoff M. Iridocorneal endothelial syndrome; Unification of a disease spectrum. *Surv Ophthalmol.* 1979;24:1-2.
434. Zantos S, Holden B. Transient endothelial changes soon after wearing soft contact lenses. *Am J Optom Physiol Optics.* 1977;54:865.
435. Zavala E, Binder P. The pathologic findings of epithelial ingrowth. *Arch Ophthalmol.* 1980; 98:2007.
436. Abad JC, An B, Power WJ, et al: A prospective evaluation of alcohol-assisted versus mechanical epithelial removal before photorefractive keratectomy. *Ophthalmology* 1997 Oct; 104(10): 1566-74; discussion 1574-5.
437. Agrawal VB, Hanuch OE, Bassage S, Aquavella JV: Alcohol versus mechanical epithelial debridement: effect on underlying cornea before excimer laser surgery. *J Cataract Refract Surg* 1997 Oct; 23(8): 1153-9.
438. Aizawa D, Shimizu K, Komatsu M, et al: Clinical outcomes of wavefront-guided laser in situ keratomileusis: 6-month follow-up. *J Cataract Refract Surg* 2003 Aug; 29(8): 1507-13.
439. Akura J, Matsuura K, Hatta S, et al: Clinical application of full-arc, depth-dependent, astigmatic keratotomy. *Cornea* 2001 Nov; 20(8): 839-43.
440. Amano S, Tanaka S, Shimizu K: Topographical evaluation of centration of excimer laser myopic photorefractive keratectomy. *J Cataract Refract Surg* 1994 Nov; 20(6): 616-9.
441. Amm M, Duncker GI, Schroder E: Excimer laser correction of high astigmatism after keratoplasty. *J Cataract Refract Surg* 1996 Apr; 22(3): 313-7.
442. Arbelaez MC, Knorz MC: Laser in situ keratomileusis for hyperopia and hyperopic astigmatism. *J Refract Surg* 1999 Jul-Aug; 15(4): 406-14.
443. Arevalo JF, Ramirez E, Suarez E, et al: Incidence of vitreoretinal pathologic conditions within 24 months after laser in situ keratomileusis. *Ophthalmology* 2000 Feb; 107(2): 258-62.
444. Argento CJ, Cosentino MJ, Biondini A: Treatment of hyperopic astigmatism. *J Cataract Refract Surg* 1997 Dec; 23(10): 1480-90.
445. Argento CJ, Cosentino MJ: Laser in situ keratomileusis for hyperopia. *J Cataract Refract Surg* 1998 Aug; 24(8): 1050-8.
446. Argento CJ, Cosentino MJ: Laser in situ keratomileusis for hyperopia. *J Cataract Refract Surg* 1998 Aug; 24(8): 1050-8.
447. Arrowsmith PN, Marks RG: Visual, refractive, and keratometric results of radial keratotomy. Five- year follow-up. *Arch Ophthalmol* 1989 Apr; 107(4): 506-11.
448. Arrowsmith PN, Marks RG: Visual, refractive, and keratometric results of radial keratotomy. A two-year follow-up. *Arch Ophthalmol* 1987 Jan; 105(1): 76-80.
449. Bates WH: A suggestion of an operation to correct astigmatism. 1894. *Refract Corneal Surg* 1989 Jan-Feb; 5(1): 58-9.

BIBLIOGRAPHY: Clinical Anterior Segment

450. Belmont SC, Lazzaro DR, Muller JW, Troutman RC: Combined wedge resection and relaxing incisions for astigmatism after penetrating keratoplasty. *J Refract Surg* 1995 Nov-Dec; 11(6): 472-6.
451. Boxer Wachler BS, Christie JP, Chandra NS, et al: Intacs for keratoconus. *Ophthalmology* 2003 May; 110(5): 1031-40.
452. Campos M, Wang XW, Hertzog L, et al: Ablation rates and surface ultrastructure of 193 nm excimer laser keratectomies. *Invest Ophthalmol Vis Sci* 1993 Jul; 34(8): 2493-500.
453. Carr J, Thompson K, Stulting R, Waring G: LASIK: Emory Vision Correction Center. In: *The Art of LASIK*. 2nd ed. 2000: 281-92.
454. Chalita MR, Finkenthal J, Xu M: LADARWave wavefront measurement in normal eyes. *J Refract Surg* 2004 Mar-Apr; 20(2): 132-8.
455. Chang MA, Jain S, Azar DT: Infections following laser in situ keratomileusis: an integration of the published literature. *Surv Ophthalmol* 2004 May-Jun; 49(3): 269-80.
456. Chayet AS, Magallanes R, Montes M, et al: Laser in situ keratomileusis for simple myopic, mixed, and simple hyperopic astigmatism. *J Refract Surg* 1998 Apr; 14(2 Suppl): S175-6.
457. Chiang PK, Hersh PS: Comparing predictability between eyes after bilateral laser in situ keratomileusis: a theoretical analysis of simultaneous versus sequential procedures. *Ophthalmology* 1999 Sep; 106(9): 1684-91.
458. Dausch D, Klein R, Landes M, Schroder E: Photorefractive keratectomy to correct astigmatism with myopia or hyperopia. *J Cataract Refract Surg* 1994 Mar; 20 Suppl: 252-7.
459. Davidorf JM, Zaldivar R, Oscherow S: Results and complications of laser in situ keratomileusis by experienced surgeons. *J Refract Surg* 1998 Mar-Apr; 14(2): 114-22.
460. Deitz MR, Sanders DR, Marks RG: Radial keratotomy: an overview of the Kansas City study. *Ophthalmology* 1984 May; 91(5): 467-78.
461. Ditzen K, Huschka H, Pieger S: Laser in situ keratomileusis for hyperopia. *J Cataract Refract Surg* 1998 Jan; 24(1): 42-7.
462. Ditzen K, Huschka H, Pieger S: Laser in situ keratomileusis for hyperopia. *J Cataract Refract Surg* 1998 Jan; 24(1): 42-7.
463. Donnenfeld ED, Perry HD, Doshi SJ: Hyperthermic treatment of post-LASIK corneal striae. *J Cataract Refract Surg* 2004 Mar; 30(3): 620-5.
464. Duffey RJ, Tchah H, Lindstrom RL: Spoke keratotomy in the human cadaver eye. *J Refract Surg* 1988; 4: 9.
465. Durairaj VD, Balentine J, Kouyoumdjian G, et al: The predictability of corneal flap thickness and tissue laser ablation in laser in situ keratomileusis. *Ophthalmology* 2000 Dec; 107(12): 2140-3.
466. Faber E: Operative Behandeling van Astigmatisme. *Ned Tijdschr Geneesk* 1895; 2: 495.
467. Faktorovich EG, Maloney RK, Price FW: Effect of astigmatic keratotomy on spherical equivalent: results of the Astigmatism Reduction Clinical Trial. *Am J Ophthalmol* 1999 Mar; 127(3): 260-9.

BIBLIOGRAPHY: Clinical Anterior Segment

468. Febraro JL, Aron-Rosa D, Gross M, et al: One year clinical results of photoastigmatic refractive keratectomy for compound myopic astigmatism. *J Cataract Refract Surg* 1999 Jul; 25(7): 911-20.
469. Franks JB, Binder PS: Keratotomy procedures for the correction of astigmatism. *J Refract Surg* 1985; 1: 11.
470. Fyodorov SN, Durnev VV: Surgical correction of complicated myopic astigmatism by means of dissection of circular ligament of cornea. *Ann Ophthalmol* 1981 Jan; 13(1): 115-8.
471. Gartry DS, Kerr Muir MG, Marshall J: Excimer laser photorefractive keratectomy. 18-month follow-up. *Ophthalmology* 1992 Aug; 99(8): 1209-19.
472. Gills JP et al: Corneal topography: The state of the art. Slack Incorporated; 1995: 1-328.
473. Gills JP et al: Corneal topography: The state of the art. Slack Incorporated; 1995: 1-328.
474. Gimbel HV, Penno EE, van Westenbrugge JA, et al: Incidence and management of intraoperative and early postoperative complications in 1000 consecutive laser in situ keratomileusis cases. *Ophthalmology* 1998 Oct; 105(10): 1839-47; discussion 1847-8.
475. Gimbel HV, van Westenbrugge JA, Penno EE, et al: Simultaneous bilateral laser in situ keratomileusis: safety and efficacy. *Ophthalmology* 1999 Aug; 106(8): 1461-7; discussion 1467-8.
476. Hardten DR, Lindstrom RL: Management of lasik complications. *Operatives Techniques in Cataract Surgery* 1998; 1: 32-9.
477. Hardten DR, Lindstrom RL: Surgical correction of refractive errors after penetrating keratoplasty. *Int Ophthalmol Clin* 1997 Winter; 37(1): 1-35.
478. Hennekes R: Holmium:YAG laser thermokeratoplasty for correction of astigmatism. *J Refract Surg* 1995 May-Jun; 11(3 Suppl): S358-60.
479. Holladay JT: Corneal topography using the Holladay Diagnostic Summary. *J Cataract Refract Surg* 1997 Mar; 23(2): 209-21.
480. Holladay JT: Corneal topography using the Holladay Diagnostic Summary. *J Cataract Refract Surg* 1997 Mar; 23(2): 209-21.
481. Huppertz M, Schmidt E, Winfried T: Eye tracking and refractive surgery. In: *Customized Corneal Ablation: The Quest for SuperVision*. 1st ed. 2001: 149-160.
482. Ibrahim O: Laser in situ keratomileusis for hyperopia and hyperopic astigmatism. *J Refract Surg* 1998 Apr; 14(2 Suppl): S179-82.
483. Jabbur NS, Kraff C: Wavefront-guided laser in situ keratomileusis using the WaveScan system for correction of low to moderate myopia with astigmatism: 6-month results in 277 eyes. *J Cataract Refract Surg* 2005 Aug; 31(8): 1493-501.
484. Jacobs JM, Taravella MJ: Incidence of intraoperative flap complications in laser in situ keratomileusis. *J Cataract Refract Surg* 2002 Jan; 28(1): 23-8.
485. Jaffe NS, Clayman HM: The pathophysiology of corneal astigmatism after cataract extraction. *Ophthalmology* 1975; 79: 615-30.
486. Jain S, Khoury JM, Chamon W, Azar DT: Corneal light scattering after laser in situ keratomileusis and photorefractive keratectomy. *Am J Ophthalmol* 1995 Oct; 120(4): 532-4.

BIBLIOGRAPHY: Clinical Anterior Segment

487. Jankov MR, Panagopoulou SI, Tsiklis NS: Topography-guided treatment of irregular astigmatism with the wavelight excimer laser. *J Refract Surg* 2006 Apr; 22(4): 335-44.
488. John T, Velotta E: Nontuberculous (atypical) mycobacterial keratitis after LASIK: current status and clinical implications. *Cornea* 2005 Apr; 24(3): 245-55.
489. Joo CK, Kim TG: Corneal perforation during laser in situ keratomileusis. *J Cataract Refract Surg* 1999 Aug; 25(8): 1165-7.
490. Kanski JJ: Disorders of the Cornea and Sclera. In: *Clinical Ophthalmology: A Systematic Approach*. 3rd ed. Revised. 1994: 100.
491. Karseras AG, Ruben M: Aetiology of keratoconus. *Br J Ophthalmol* 1976 Jul; 60(7): 522-5.
492. Kaufman HE, Barron BA, McDonald M, Kaufman SC: *Companion Handbook to the Cornea*. Butterworth Heinemann; 2000: 947-59.
493. Kaufman HE, Barron BA, McDonald M, Kaufman SC: *Companion Handbook to the Cornea*. Butterworth Heinemann; 2000: 947-59.
494. Kennedy RH, Bourne WM, Dyer JA: A 48-year clinical and epidemiologic study of keratoconus. *Am J Ophthalmol* 1986 Mar 15; 101(3): 267-73.
495. Kezirian G, Casebeer J: The CRS LASIK Study. In: *The Art of LASIK*. 2nd ed. 1999: 293-302.
496. Kezirian, Guy M, Stonecipher, Karl G.: Comparison of the IntraLase femtosecond laser and mechanical keratomes for laser in situ keratomileusis. *J Cataract Refract Surg* 2004; 30: 804-811.
497. Knorz MC, Liermann A, Jendritza B, Hugger P: LASIK for hyperopia and hyperopic astigmatism--results of a pilot study. *Semin Ophthalmol* 1998 Jun; 13(2): 83-7.
498. Knorz MC, Wiesinger B, Liermann A, et al: Laser in situ keratomileusis for moderate and high myopia and myopic astigmatism. *Ophthalmology* 1998 May; 105(5): 932-40.
499. Koffler BH, Smith VM: Corneal topography, arcuate keratotomy, and compression sutures for astigmatism after penetrating keratoplasty. *J Refract Surg* 1996 Feb; 12(2): S306-9.
500. Koffler MC, Burlew JA: Corneal Topography and the Corneal Modeling System. *Mediguide Ophthalmology* 1991; 6: 1-5.
501. Korb DR, Finnemore VM, Herman JP: Apical changes and scarring in keratoconus as related to contact lens fitting techniques. *J Am Optom Assoc* 1982 Mar; 53(3): 199-205.
502. Krachmer JH, Feder RS, Belin MW: Keratoconus and related noninflammatory corneal thinning disorders. *Surv Ophthalmol* 1984 Jan-Feb; 28(4): 293-322.
503. Krachmer JH, Fenzl RE: Surgical correction of high postkeratoplasty astigmatism. Relaxing incisions vs wedge resection. *Arch Ophthalmol* 1980 Aug; 98(8): 1400-2.
504. Krachmer JH, Mannis JM, Holland EJ: *Cornea*. In: Mosby. 1997: 1-2253.
505. Krachmer JH, Mannis JM, Holland EJ: *Cornea*. In: Mosby. 1997: 1-2253.
506. Lam DS, Leung AT, Wu JT, et al: Management of severe flap wrinkling or dislodgment after laser in situ keratomileusis. *J Cataract Refract Surg* 1999 Nov; 25(11): 1441-7.
507. Lans LJ: Experimentelle Untersuchungen über Entstehung von Astigmatismus durch nich-perforirende Corneawunden. *Graefes Arch Ophthalmol* 1898; 45: 117.

BIBLIOGRAPHY: Clinical Anterior Segment

508. Lass JH, Lembach RG, Park SB, et al: Clinical management of keratoconus. A multicenter analysis. *Ophthalmology* 1990 Apr; 97(4): 433-45.
509. Lavery GW, Lindstrom RL, Hofer LA, Doughman DJ: The surgical management of corneal astigmatism after penetrating keratoplasty. *Ophthalmic Surg* 1985 Mar; 16(3): 165-9.
510. Lee JS, Oum BS, Lee BJ, Lee SH: Photorefractive keratectomy for astigmatism greater than -2.00 diopters in eyes with low, high, or extreme myopia. *J Cataract Refract Surg* 1998 Nov; 24(11): 1456-63.
511. Lindstrom RL: The surgical correction of astigmatism: a clinician's perspective. *Refract Corneal Surg* 1990 Nov-Dec; 6(6): 441-54.
512. Linebarger EJ, Hardten DR, Lindstrom RL: Sands of the sahara. In: Curatto, Brint, eds. *LASIK: Surgical Techniques and Complications*. Thorofa; 1999: 591-6.
513. Liu Z, Huang AJ, Pflugfelder SC: Evaluation of corneal thickness and topography in normal eyes using the Orbscan corneal topography system. *Br J Ophthalmol* 1999 Jul; 83(7): 774-8.
514. Liu Z, Huang AJ, Pflugfelder SC: Evaluation of corneal thickness and topography in normal eyes using the Orbscan corneal topography system. *Br J Ophthalmol* 1999 Jul; 83(7): 774-8.
515. MacDonald IM, Zabel RW, Chen V: Corneal astigmatism generation and correction using a fiberoptic-delivered holmium laser. *Invest Ophthalmol* 1990; 31: S476.
516. Macsai MS, Varley GA, Krachmer JH: Development of keratoconus after contact lens wear. Patient characteristics. *Arch Ophthalmol* 1990 Apr; 108(4): 534-8.
517. Maeda N, Klyce SD, Smolek MK: Comparison of methods for detecting keratoconus using videokeratography. *Arch Ophthalmol* 1995 Jul; 113(7): 870-4.
518. Maguire LJ, Bourne WM: Corneal topography of early keratoconus. *Am J Ophthalmol* 1989 Aug 15; 108(2): 107-12.
519. Maldonado-Bas A, Onnis R: Results of laser in situ keratomileusis in different degrees of myopia. *Ophthalmology* 1998 Apr; 105(4): 606-11.
520. Mandel MR, Shapiro MB, Krachmer JH: Relaxing incisions with augmentation sutures for the correction of postkeratoplasty astigmatism. *Am J Ophthalmol* 1987 Mar 15; 103(3 Pt 2): 441-7.
521. Montes M, Chayet A, Gomez L, et al: Laser in situ keratomileusis for myopia of -1.50 to -6.00 diopters. *J Refract Surg* 1999 Mar-Apr; 15(2): 106-10.
522. Moodaley L, Buckley RJ, Woodward EG: Surgery to improve contact lens wear in keratoconus. *CLAO J* 1991 Apr; 17(2): 129-31.
523. Moodaley LC, Woodward EG, Liu CS, Buckley RJ: Life expectancy in keratoconus. *Br J Ophthalmol* 1992 Oct; 76(10): 590-1.
524. Mrochen M, Kaemmerer M, Seiler T: Clinical results of wavefront-guided laser in situ keratomileusis 3 months after surgery. *J Cataract Refract Surg* 2001 Feb; 27(2): 201-7.
525. Munnerlyn CR, Koons SJ, Marshall J: Photorefractive keratectomy: a technique for laser refractive surgery. *J Cataract Refract Surg* 1988 Jan; 14(1): 46-52.
526. Niesen UM, Businger U, Schipper I: Disability glare after excimer laser photorefractive keratectomy for myopia. *J Refract Surg* 1996 Feb; 12(2): S267-8.

BIBLIOGRAPHY: Clinical Anterior Segment

527. Nordan LT, Binder PS, Kassab BS, Heitzmann J: Photorefractive keratectomy to treat myopia and astigmatism after radial keratotom y and penetrating keratoplasty. *J Cataract Refract Surg* 1995 May; 21(3): 268-73.
528. Pallikaris IG, Siganos DS: Excimer laser in situ keratomileusis and photorefractive keratectomy for correction of high myopia. *J Refract Corneal Surg* 1994 Sep-Oct; 10(5): 498-510.
529. Pande M, Hillman JS: Optical zone centration in keratorefractive surgery. Entrance pupil center, visual axis, coaxially sighted corneal reflex, or geometric corneal center? *Ophthalmology* 1993 Aug; 100(8): 1230-7.
530. Parker PJ, Klyce SD, Ryan BL: Central topographical islands following photorefractive keratectomy. *Invest Ophthalmol Vis Sci* 1993; 34: 803.
531. Partal AE, Manche EE: CustomVue laser in situ keratomileusis for myopia and myopic astigmatism using the Visx S4 excimer laser: Efficacy, predictability, and safety. *J Cataract Refract Surg* 2006 Mar; 32(3): 475-9.
532. Perez-Santonja JJ, Ayala MJ, Sakla HF, et al: Retreatment after laser in situ keratomileusis. *Ophthalmology* 1999 Jan; 106(1): 21-8.
533. Petrauskas J: Reinventing Refraction with Wave front Technology. *EyeNet* 2000; 4: 33-35.
534. Price FW, Grene RB, Marks RG, Gonzales JS: Astigmatism reduction clinical trial: a multicenter prospective evaluation of the predictability of arcuate keratotom y. Evaluation of surgical nomogram predictability. ARC-T Study Group. *Arch Ophthalmol* 1995 Mar; 113(3): 277-82.
535. Probst L, Hakim O, Nichols B, Baird M: LASIK Results from TLC, The London Laser Center. In: *The Art of LASIK*. 2nd ed. 1999: 303-8.
536. Rabbetts RB: *Clinical Visual Optics*. Butterworth Heinemann; 1998: 378-420.
537. Rabbetts RB: *Clinical Visual Optics*. Butterworth Heinemann; 1998: 378-420.
538. Rabinowitz YS, Garbus J, McDonnell PJ: Computer-assisted corneal topography in family members of patients with keratoconus. *Arch Ophthalmol* 1990 Mar; 108(3): 365-71.
539. Rabinowitz YS: Keratoconus. *Surv Ophthalmol* 1998 Jan-Feb; 42(4): 297-319.
540. Rabinowitz YS: The genetics of keratoconus. *Ophthalmol Clin North Am* 2003 Dec; 16(4): 607-20, vii.
541. Randleman JB, Russell B, Ward MA: Risk factors and prognosis for corneal ectasia after LASIK. *Ophthalmology* 2003 Feb; 110(2): 267-75.
542. Reviglio VE, Luna JD, Rodriguez ML, et al: Laser in situ keratomileusis using the LaserSight 200 laser: results of 950 consecutive cases. *J Cataract Refract Surg* 1999 Aug; 25(8): 1062-8.
543. Sato T: Die operative Behandlung des Astigmatismus. *Klin Monatsbl Augenheilkd* 1955; 126: 16.
544. Sato T: Experimental study on surgical correction of astigmatism. *Juntendo Kenkyukaizasshi* 1943; 589: 37.
545. Sato T: Posterior incision of the cornea: Surgical treatment for conical cornea and astigmatism. *Am J Ophthalmol* 1950; 33: 943.
546. Sato T: Treatment of conical cornea by incision of Descemet's membrane. *Acta Soc Ophthalmol Jpn* 1939; 43: 541.

BIBLIOGRAPHY: Clinical Anterior Segment

547. Schallhorn SC, Blanton CL, Kaupp SE, et al: Preliminary results of photorefractive keratectomy in active-duty United States Navy personnel. *Ophthalmology* 1996 Jan; 103(1): 5-22.
548. Schiøtz LJ: Hin Fall von hochgradigem Hornhautstigmatismus nach Staarextraction: Bessergung auf operativem Wege. *Arch Augenheilkd* 1885; 15: 178.
549. Schuman JS: Ophthalmic imaging and diagnostics. *Ophthalmology Clinics of North America* 1998; 11: 1-490.
550. Schuman JS: Ophthalmic imaging and diagnostics. *Ophthalmology Clinics of North America* 1998; 11: 1-490.
551. Seiler T, Kaemmerer M, Mierdel P, Krinke HE: Ocular optical aberrations after photorefractive keratectomy for myopia and myopic astigmatism. *Arch Ophthalmol* 2000 Jan; 118(1): 17-21.
552. Seiler T, Matallana M, Bende T: Laser thermokeratoplasty by means of a pulsed holmium:YAG laser for hyperopic correction. *Refract Corneal Surg* 1990 Sep-Oct; 6(5): 335-9.
553. Shah S, Smith RJ, Pieger S, Chatterjee A: Effect of an elliptical optical zone on outcome of photoastigmatic refractive keratectomy. *J Refract Surg* 1999 Mar-Apr; 15(2 Suppl): S188-91.
554. Shen EP, Yang CN, Hu FR: Corneal astigmatic change after photorefractive keratectomy and photoastigmatic refractive keratectomy. *J Cataract Refract Surg* 2002 Mar; 28(3): 491-8.
555. Sher NA, Bowers RA, Zabel RW, et al: Clinical use of the 193-nm excimer laser in the treatment of corneal scars. *Arch Ophthalmol* 1991 Apr; 109(4): 491-8.
556. Sher NA, Chen V, Bowers RA, et al: The use of the 193-nm excimer laser for myopic photorefractive keratectomy in sighted eyes. A multicenter study. *Arch Ophthalmol* 1991 Nov; 109(11): 1525-30.
557. Sherwin T, Brookes NH: Morphological changes in keratoconus: pathology or pathogenesis. *Clin Experiment Ophthalmol* 2004 Apr; 32(2): 211-7.
558. Smith RJ, Maloney RK: Diffuse lamellar keratitis. A new syndrome in lamellar refractive surgery. *Ophthalmology* 1998 Sep; 105(9): 1721-6.
559. Smolin G, Thoft RA: Basic Science: Anatomy of the Conjunctiva, Cornea and Limbus. *The Cornea* 1994; 3-12.
560. Stein HA, Stein RM, Price C, Salim GA: Alcohol removal of the epithelium for excimer laser ablation: outcomes analysis. *J Cataract Refract Surg* 1997 Oct; 23(8): 1160-3.
561. Stulting RD, Carr JD, Thompson KP, et al: Complications of laser in situ keratomileusis for the correction of myopia. *Ophthalmology* 1999 Jan; 106(1): 13-20.
562. Sugar J, Kirk AK: Relaxing keratotomy for post-keratoplasty high astigmatism. *Ophthalmic Surg* 1983 Feb; 14(2): 156-8.
563. Suzuki A, Maeda N, Watanabe H, et al: Using a reference point and videokeratography for intraoperative identification of astigmatism axis. *J Cataract Refract Surg* 1997 Dec; 23(10): 1491-5.

BIBLIOGRAPHY: Clinical Anterior Segment

564. Talley AR, Hardten DR, Sher NA, et al: Results one year after using the 193-nm excimer laser for photorefractive keratectomy in mild to moderate myopia. *Am J Ophthalmol* 1994 Sep 15; 118(3): 304-11.
565. Thompson V: Holmium:YAG laser thermokeratoplasty for correction of astigmatism. *J Refract Corneal Surg* 1994; 10: S293.
566. Tran DB, Sarayba MA, Bor Z, et al: Randomized prospective clinical study comparing induced aberrations with IntraLase and Hansatome flap creation in fellow eyes: potential impact on wavefront-guided laser in situ keratomileusis. *J Cataract Refract Surg* 2005 Jan; 31(1): 97-105.
567. Trokel SL, Srinivasan R, Braren B: Excimer laser surgery of the cornea. *Am J Ophthalmol* 1983 Dec; 96(6): 710-5.
568. Troutman RC, Swinger C: Relaxing incision for control of postoperative astigmatism following keratoplasty. *Ophthalmic Surg* 1980 Feb; 11(2): 117-20.
569. Uozato H, Guyton DL: Centering corneal surgical procedures. *Am J Ophthalmol* 1987 Mar 15; 103(3 Pt 1): 264-75.
570. Verdon W, Bullimore M, Maloney RK: Visual performance after photorefractive keratectomy. A prospective study. *Arch Ophthalmol* 1996 Dec; 114(12): 1465-72.
571. Vinciguerra P, Epstein D, Azzolini M, et al: Algorithm to correct hyperopic astigmatism with the Nidek EC-5000 excimer laser. *J Refract Surg* 1999 Mar-Apr; 15(2 Suppl): S186-7.
572. Vogt A: Reflexlinien durch faltung spiegelnder grenzflächen im bereiche von corneo, linsenkapsel und netzhaut. *Albrecht von Graefes Arch Ophthalmol* 1919; 99: 296-338.
573. Wang Z, Chen J, Yang B: Posterior corneal surface topographic changes after laser in situ keratomileusis are related to residual corneal bed thickness. *Ophthalmology* 1999 Feb; 106(2): 406-9; discussion 409-10.
574. Waring GO: History of radial keratotomy. In: Sanders DR, Hofmann RF, Salz JJ, eds. *Refractive Corneal Surgery*. Thorofare, NJ; 1985: 3-14.
575. Webber SK, Lawless MA, Sutton GL, Rogers CM: Staphylococcal infection under a LASIK flap. *Cornea* 1999 May; 18(3): 361-5.
576. Webber SK, McGhee CN, Bryce IG: Decentration of photorefractive keratectomy ablation zones after excimer laser surgery for myopia. *J Cataract Refract Surg* 1996 Apr; 22(3): 299-303.
577. Werblin TP: Lans lecture. Lamellar refractive surgery: where have we been and where are we going? *J Refract Corneal Surg* 1989 May-Jun; 5(3): 167-76
578. Wilson EW, Klyce SD: Screening for Corneal Topography Abnormalities before Refractive Surgery. *Ophthalmology* 1994; 101: 147-52.
579. Wilson SE, Lin DT, Klyce SD: Corneal topography of keratoconus. *Cornea* 1991 Jan; 10(1): 2-8.